| Jurisdiction | FMP   | Stock                                  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|---|--|--|--|---|---|-----------------------------------|---------------------------------|---------------------------|
| CFMC         | Queen Conch Resources of<br>Puerto Rico and the United<br>States Virgin Islands | Queen conch - Caribbean                | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 8 of 15-<br>year plan        | <<1                             | 2                         |
| CFMC         | Reef Fish Fishery of Puerto Rico<br>and the U.S. Virgin Islands                 | Caribbean Grouper Unit 1 *             | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 8 of 25-<br>year plan        | <<1                             | 2                         |
| CFMC         | Reef Fish Fishery of Puerto Rico<br>and the U.S. Virgin Islands                 | Caribbean Grouper Unit 2 *             | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 8 of 30-<br>year plan        | <<1                             | 2                         |
| CFMC         | Reef Fish Fishery of Puerto Rico<br>and the U.S. Virgin Islands                 | Caribbean Grouper Unit 4*              | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 8 of 10-<br>year plan        | 0.75 (default estimate)         | 2                         |
| CFMC         | Reef Fish Fishery of Puerto Rico<br>and the U.S. Virgin Islands                 | Caribbean Snapper Unit 1 *             | No   | No   | Yes                                     | NA  | N/A                               | 0.75 (default estimate)         | 3                         |
| CFMC         | Reef Fish Fishery of Puerto Rico<br>and the U.S. Virgin Islands                 | Caribbean Snapper Unit 3 *             | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| CFMC         | Reef Fish Fishery of Puerto Rico<br>and the U.S. Virgin Islands                 | Caribbean Snapper Unit 4 *             | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| CFMC         | Spiny Lobster Fishery of Puerto<br>Rico and the U.S. Virgin Islands             | Caribbean spiny lobster -<br>Caribbean | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| GMFMC        | Red Drum Fishery of the Gulf of<br>Mexico                                       | Red drum - Gulf of Mexico              | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico                                    | Gag - Gulf of Mexico                   | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 2 of 10-<br>year plan        | 0.41                            | 1                         |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico                                    | Gray triggerfish - Gulf of Mexico      | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 6 of 6-year<br>plan          | 0.04                            | 1                         |

| Jurisdiction | FMP   | Stock                                     | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|---|---|--|--|---|---|-----------------------------------|---------------------------------|---------------------------|
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico      | Greater amberjack - Gulf of<br>Mexico     | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 11 of a 10-<br>year plan     | 0.31                            | 1                         |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico      | Hogfish - Gulf of Mexico                  | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 0                         |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico      | Red grouper - Gulf of Mexico              | No   | No   | No                                      | NA  | N/A                               | 0.86                            | 4                         |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico      | Red snapper - Gulf of Mexico              | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 13 of 32-<br>year plan       | 0.18                            | 2                         |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico      | Snowy grouper - Gulf of Mexico            | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 0                         |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico      | Vermilion snapper - Gulf of<br>Mexico     | No   | No   | No                                      | NA  | N/A                               | 0.92                            | 4                         |
| GMFMC        | Reef Fish Resources of the Gulf<br>of Mexico      | Yellowedge grouper - Gulf of<br>Mexico *  | No   | No   | No                                      | NA  | N/A                               | 1.11                            | 4                         |
| GMFMC        | Shrimp Fishery of the Gulf of<br>Mexico           | Brown shrimp - Gulf of Mexico *           | No   | No   | No                                      | NA  | N/A                               | 4.91                            | 4                         |
| GMFMC        | Shrimp Fishery of the Gulf of<br>Mexico           | Pink shrimp - Gulf of Mexico              | No   | No   | No                                      | NA  | N/A                               | 0.78                            | 3                         |
| GMFMC        | Shrimp Fishery of the Gulf of<br>Mexico           | Royal red shrimp - Gulf of Mexico         | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| GMFMC        | Shrimp Fishery of the Gulf of<br>Mexico           | White shrimp - Gulf of Mexico             | No   | No   | No                                      | NA  | N/A                               | 6.54                            | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Albacore - North Atlantic                 | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 7 of plan                    | 0.62                            | 1                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Atlantic Large Coastal Shark<br>Complex * | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | 1.35                            | 0                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Atlantic Small Coastal Shark<br>Complex * | No   | No   | No                                      | NA  | N/A                               | 1.69                            | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Atlantic sharpnose shark - Atlantic *     | No   | No   | No                                      | NA  | N/A                               | 1.35                            | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Bigeye tuna - Atlantic *                  | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding                      | Year 15 of plan                   | 1.01                            | 3                         |

| Jurisdiction | FMP   | Stock                             | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy                     | Official<br>FSSI<br>Score |
|--------------|---|-----------------------------------|--|--|---|---|-----------------------------------|---|---------------------------|
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Blacknose shark - Atlantic *      | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 4 of 18-<br>year plan        | 0.43-0.64   | 1                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Blacktip shark - Gulf of Mexico * | No   | No   | No                                      | NA  | N/A                               | 2.56  | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Blacktip shark - South Atlantic * | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                                    | 0                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Blue marlin - Atlantic *          | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 12 of plan                   | 0.67  | 1                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Blue shark - Atlantic *           | No   | No   | No                                      | NA  | N/A                               | 1.87-2.74   | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Bluefin tuna - Western Atlantic   | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 15 of 20-<br>year plan       | 1.1 (0.89-<br>1.35-LRS)<br>0.15 (0.10-<br>0.22-HRS) | 1                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Bonnethead - Atlantic *           | No   | No   | No                                      | NA  | N/A                               | 0.83  | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Dusky shark - Atlantic *          | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 5 of 100-<br>year plan       | 0.41-0.50   | 1                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Finetooth shark - Atlantic *      | No   | No   | No                                      | NA  | N/A                               | 1.80  | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Porbeagle - Atlantic *            | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 5 of 100-<br>year plan       | 0.15-0.32   | 2                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Sailfish - Western Atlantic *     | Yes  | No - Rebuilding                                    | No                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 15 of plan                   | > 75%Bmsy   | 2                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Sandbar shark - Atlantic *        | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 5 of 66-<br>year plan        | 0.66  | 2                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Shortfin mako - Atlantic *        | No   | No   | No                                      | NA  | N/A                               | 1.15-2.04   | 4                         |

| Jurisdiction | FMP   | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|---|--|--|--|---|---|-----------------------------------|---------------------------------|---------------------------|
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Swordfish - North Atlantic                                 | No   | No   | No                                      | NA  | N/A                               | 1.05                            | 4                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | White marlin - Atlantic *                                  | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 12 of plan                   | not<br>estimated                | 1                         |
| HMS          | Consolidated Atlantic Highly<br>Migratory Species | Yellowfin tuna - Western Atlantic                          | No   | No   | Yes                                     | NA  | N/A                               | 0.96                            | 4                         |
| MAFMC        | Atlantic Mackerel, Squid and<br>Butterfish        | Atlantic mackerel - Gulf of Maine<br>/ Cape Hatteras *     | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 0                         |
| MAFMC        | Atlantic Mackerel, Squid and<br>Butterfish        | Butterfish - Gulf of Maine / Cape<br>Hatteras *            | No   | Unknown  | Unknown                                 | Continue<br>Rebuilding                      | Year 4 of 4-year<br>plan          | not<br>estimated                | 1.5                       |
| MAFMC        | Atlantic Mackerel, Squid and<br>Butterfish        | Longfin inshore squid - Georges<br>Bank / Cape Hatteras *  | Unknown  | No   | No                                      | NA  | N/A                               | 1.28                            | 2.5                       |
| MAFMC        | Atlantic Mackerel, Squid and<br>Butterfish        | Northern shortfin squid -<br>Northwestern Atlantic Coast * | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| MAFMC        | Atlantic Surfclam and Ocean<br>Quahog             | Atlantic surfclam - Mid-Atlantic<br>Coast                  | No   | No   | No                                      | NA  | N/A                               | 1.09                            | 4                         |
| MAFMC        | Atlantic Surfclam and Ocean<br>Quahog             | Ocean quahog - Atlantic Coast                              | No   | No   | No                                      | NA  | N/A                               | 1.62                            | 4                         |
| MAFMC        | Bluefish  | Bluefish - Atlantic Coast                                  | No   | No   | No                                      | NA  | N/A                               | 0.90                            | 4                         |
| MAFMC        | Summer Flounder, Scup and<br>Black Sea Bass       | Black sea bass - Mid-Atlantic<br>Coast                     | No   | No   | No                                      | NA  | N/A                               | 1.02                            | 4                         |
| MAFMC        | Summer Flounder, Scup and<br>Black Sea Bass       | Scup - Atlantic Coast                                      | No   | No   | No                                      | NA  | N/A                               | 2.07                            | 4                         |
| MAFMC        | Summer Flounder, Scup and<br>Black Sea Bass       | Summer flounder - Mid-Atlantic<br>Coast                    | No   | No   | No                                      | NA  | N/A                               | 0.95                            | 4                         |
| MAFMC        | Tilefish  | Tilefish - Mid-Atlantic Coast *                            | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding                      | Year 12 of 10-<br>year plan       | 1.05                            | 3                         |
| NEFMC        | Atlantic Herring                                  | Atlantic herring - Northwestern<br>Atlantic Coast *        | No   | No   | No                                      | NA  | N/A                               | 3.30                            | 4                         |

| Jurisdiction | FMP                    | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy        | Official<br>FSSI<br>Score |
|--------------|------------------------|--|--|--|---|---|-----------------------------------|--|---------------------------|
| NEFMC        | Atlantic Sea Scallop   | Sea scallop - Northwestern<br>Atlantic Coast           | No   | No   | No                                      | NA  | N/A                               | 1.04                                   | 4                         |
| NEFMC        | Deep-Sea Red Crab      | Red deepsea crab - Northwestern<br>Atlantic *          | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                       | 1.5                       |
| NEFMC        | Northeast Multispecies | Acadian redfish - Gulf of Maine /<br>Georges Bank *    | No   | No   | No                                      | NA  | N/A                               | 1.32                                   | 4                         |
| NEFMC        | Northeast Multispecies | American plaice - Gulf of Maine /<br>Georges Bank *    | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding                      | Year 10 of 10-<br>year plan       | 0.59                                   | 3                         |
| NEFMC        | Northeast Multispecies | Atlantic cod - Georges Bank *                          | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 10 of 22-<br>year plan       | 0.07                                   | 1                         |
| NEFMC        | Northeast Multispecies | Atlantic cod - Gulf of Maine *                         | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 10 of 10-<br>year plan       | 0.18 (model<br>1)<br>0.13 (model<br>2) | 1                         |
| NEFMC        | Northeast Multispecies | Atlantic halibut - Northwestern<br>Atlantic Coast *    | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 10 of 52-<br>year plan       | 0.03                                   | 2                         |
| NEFMC        | Northeast Multispecies | Haddock - Georges Bank *                               | No   | No   | No                                      | NA  | N/A                               | 1.34                                   | 4                         |
| NEFMC        | Northeast Multispecies | Haddock - Gulf of Maine *                              | Yes  | No   | Yes                                     | Reduce Mortality                            | N/A                               | 0.59                                   | 3                         |
| NEFMC        | Northeast Multispecies | Ocean pout - Northwestern<br>Atlantic Coast *          | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 10 of 10-<br>year plan       | 0.08                                   | 2                         |
| NEFMC        | Northeast Multispecies | Offshore hake - Northwestern<br>Atlantic Coast *       | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                       | 0                         |
| NEFMC        | Northeast Multispecies | Pollock - Gulf of Maine / Georges<br>Bank              | No   | No   | No                                      | NA  | N/A                               | 2.15                                   | 4                         |
| NEFMC        | Northeast Multispecies | Red hake - Gulf of Maine /<br>Northern Georges Bank    | No   | No   | No                                      | NA  | N/A                               | 0.95                                   | 4                         |
| NEFMC        | Northeast Multispecies | Red hake - Southern Georges<br>Bank / Mid-Atlantic     | No   | No   | No                                      | NA  | N/A                               | 0.93                                   | 4                         |
| NEFMC        | Northeast Multispecies | Silver hake - Gulf of Maine /<br>Northern Georges Bank | No   | No   | No                                      | NA  | N/A                               | 0.97                                   | 4                         |

| Jurisdiction | FMP                     | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|-------------------------|--|--|--|---|---|-----------------------------------|---------------------------------|---------------------------|
| NEFMC        | Northeast Multispecies  | Silver hake - Southern Georges<br>Bank / Mid-Atlantic          | No   | No   | No                                      | NA  | N/A                               | 0.67                            | 3                         |
| NEFMC        | Northeast Multispecies  | White hake - Gulf of Maine /<br>Georges Bank                   | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding                      | Year 10 of 10-<br>year plan       | 0.83                            | 3                         |
| NEFMC        | Northeast Multispecies  | Windowpane - Gulf of Maine /<br>Georges Bank *                 | Yes  | Yes  | No                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 4 of 7-year<br>plan          | 0.29                            | 1                         |
| NEFMC        | Northeast Multispecies  | Windowpane - Southern New<br>England / Mid-Atlantic *          | No   | No   | No                                      | NA  | N/A                               | 1.46                            | 4                         |
| NEFMC        | Northeast Multispecies  | Winter flounder - Georges Bank                                 | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding                      | Year 4 of 7-year<br>plan          | 0.82                            | 3                         |
| NEFMC        | Northeast Multispecies  | Winter flounder - Gulf of Maine                                | No   | Unknown  | Unknown                                 | NA  | N/A                               | 0.29                            | 1.5                       |
| NEFMC        | Northeast Multispecies  | Winter flounder - Southern New<br>England / Mid-Atlantic       | No   | Yes  | NA                                      | Continue<br>Rebuilding                      | Year 10 of 19-<br>year plan       | 0.16                            | 2                         |
| NEFMC        | Northeast Multispecies  | Witch flounder - Northwestern<br>Atlantic Coast *              | Yes  | Yes  | No                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 4 of 7-year<br>plan          | 0.41                            | 1                         |
| NEFMC        | Northeast Multispecies  | Yellowtail flounder - Cape Cod /<br>Gulf of Maine *            | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 10 of 19-<br>year plan       | 0.24                            | 1                         |
| NEFMC        | Northeast Multispecies  | Yellowtail flounder - Georges<br>Bank                          | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 7 of 26-<br>year plan        | 0.11                            | 1                         |
| NEFMC        | Northeast Multispecies  | Yellowtail flounder - Southern<br>New England / Mid-Atlantic * | No   | No   | No                                      | NA  | N/A                               | 1.29                            | 4                         |
| NEFMC        | Northeast Skate Complex | Barndoor skate - Georges Bank /<br>Southern New England *      | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding                      | Year 10 of plan                   | 0.69                            | 3                         |

| Jurisdiction     | FMP  | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|------------------|--|--|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| NEFMC            | Northeast Skate Complex                              | Clearnose skate - Southern New<br>England / Mid-Atlantic | No   | No   | No                                      | NA                               | N/A                               | 1.46                            | 4                         |
| NEFMC            | Northeast Skate Complex                              | Little skate - Georges Bank /<br>Southern New England    | No   | No   | No                                      | NA                               | N/A                               | 1.36                            | 4                         |
| NEFMC            | Northeast Skate Complex                              | Rosette skate - Southern New<br>England / Mid-Atlantic   | No   | No   | No                                      | NA                               | N/A                               | 0.88                            | 4                         |
| NEFMC            | Northeast Skate Complex                              | Smooth skate - Gulf of Maine                             | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding           | Year 3 of 10-<br>year plan        | 0.85                            | 3                         |
| NEFMC            | Northeast Skate Complex                              | Thorny skate - Gulf of Maine                             | No   | Yes  | NA                                      | Continue<br>Rebuilding           | Year 10 of 25-<br>year plan       | 0.06                            | 2                         |
| NEFMC            | Northeast Skate Complex                              | Winter skate - Georges Bank /<br>Southern New England    | No   | No   | No                                      | NA                               | N/A                               | 1.55                            | 4                         |
| NEFMC /<br>MAFMC | Monkfish   | Goosefish - Gulf of Maine /<br>Northern Georges Bank     | No   | No   | No                                      | NA                               | N/A                               | 1.25                            | 4                         |
| NEFMC /<br>MAFMC | Monkfish   | Goosefish - Southern Georges<br>Bank / Mid-Atlantic      | No   | No   | No                                      | NA                               | N/A                               | 1.76                            | 4                         |
| NEFMC /<br>MAFMC | Spiny Dogfish  | Spiny dogfish - Atlantic Coast                           | No   | No   | No                                      | NA                               | N/A                               | 1.03                            | 4                         |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Blue king crab - Pribilof Islands *                      | No   | Yes  | NA                                      | Continue<br>Rebuilding           | Year 10 of 10-<br>year plan       | 0.13                            | 2                         |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Blue king crab - Saint Matthews<br>Island *              | No   | No   | No                                      | NA                               | N/A                               | 1.58                            | 4                         |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Golden king crab - Aleutian<br>Islands                   | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Red king crab - Bristol Bay                              | No   | No   | No                                      | NA                               | N/A                               | 0.96                            | 4                         |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Red king crab - Norton Sound                             | No   | No   | No                                      | NA                               | N/A                               | 1.21                            | 4                         |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Red king crab - Pribilof Islands *                       | No   | No   | Unknown                                 | NA                               | N/A                               | 0.64                            | 3                         |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Red king crab - Western Aleutian<br>Islands              | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Snow crab - Bering Sea                                   | No   | No   | No                                      | NA                               | N/A                               | 0.95                            | 4                         |
| NPFMC            | Bering Sea/Aleutian Islands King<br>and Tanner Crabs | Southern Tanner crab - Bering Sea                        | No   | No   | No                                      | NA                               | N/A                               | 1.28                            | 4                         |

| Jurisdiction | FMP   | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|---|--|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Alaska plaice - Bering Sea /<br>Aleutian Islands                                 | No   | No   | No                                      | NA                               | N/A                               | 1.94                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Arrowtooth flounder - Bering Sea<br>/ Aleutian Islands                           | No   | No   | No                                      | NA                               | N/A                               | 3.16                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Atka mackerel - Bering Sea /<br>Aleutian Islands                                 | No   | No   | No                                      | NA                               | N/A                               | 1.16                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Bering Sea / Aleutian Islands<br>Blackspotted and Rougheye<br>Rockfish Complex * | No   | No   | No                                      | NA                               | N/A                               | 0.71                            | 3                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Bering Sea / Aleutian Islands<br>Flathead Sole Complex *                         | No   | No   | No                                      | NA                               | N/A                               | 2.17                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Bering Sea / Aleutian Islands Rock<br>Sole Complex *                             | No   | No   | No                                      | NA                               | N/A                               | 2.06                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Greenland halibut - Bering Sea /<br>Aleutian Islands                             | No   | No   | No                                      | NA                               | N/A                               | 0.60                            | 3                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Northern rockfish - Bering Sea /<br>Aleutian Islands                             | No   | No   | No                                      | NA                               | N/A                               | 1.68                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Pacific cod - Bering Sea / Aleutian<br>Islands                                   | No   | No   | No                                      | NA                               | N/A                               | 1.18                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Pacific ocean perch - Bering Sea /<br>Aleutian Islands                           | No   | No   | No                                      | NA                               | N/A                               | 1.77                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Walleye pollock - Aleutian Islands   | No   | No   | No                                      | NA                               | N/A                               | 0.96                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area | Walleye pollock - Eastern Bering<br>Sea  | No   | No   | No                                      | NA                               | N/A                               | 1.08                            | 4                         |

| Jurisdiction | FMP   | Stock   | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|---|---|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area                                       | Yellowfin sole - Bering Sea /<br>Aleutian Islands                       | No   | No   | No                                      | NA                               | N/A                               | 1.53                            | 4                         |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management<br>Area / Groundfish of the Gulf of<br>Alaska | Sablefish - Eastern Bering Sea /<br>Aleutian Islands / Gulf of Alaska * | No   | No   | No                                      | NA                               | N/A                               | 1.06                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Arrowtooth flounder - Gulf of<br>Alaska                                 | No   | No   | No                                      | NA                               | N/A                               | 2.99                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Dusky rockfish - Gulf of Alaska   | No   | No   | No                                      | NA                               | N/A                               | 1.57                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Flathead sole - Gulf of Alaska  | No   | No   | No                                      | NA                               | N/A                               | 2.87                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Gulf of Alaska Blackspotted and<br>Rougheye Rockfish Complex *          | No   | No   | No                                      | NA                               | N/A                               | 1.48                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Gulf of Alaska Deepwater Flatfish<br>Complex *                          | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| NPFMC        | Groundfish of the Gulf of Alaska  | Gulf of Alaska Demersal Shelf<br>Rockfish Complex *                     | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| NPFMC        | Groundfish of the Gulf of Alaska  | Gulf of Alaska Thornyhead<br>Rockfish Complex *                         | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| NPFMC        | Groundfish of the Gulf of Alaska  | Northern rockfish - Western /<br>Central Gulf of Alaska                 | No   | No   | No                                      | NA                               | N/A                               | 1.70                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Pacific cod - Gulf of Alaska  | No   | No   | No                                      | NA                               | N/A                               | 1.51                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Pacific ocean perch - Gulf of<br>Alaska                                 | No   | No   | No                                      | NA                               | N/A                               | 1.31                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Rex sole - Gulf of Alaska   | No   | No   | No                                      | NA                               | N/A                               | 2.74                            | 4                         |
| NPFMC        | Groundfish of the Gulf of Alaska  | Walleye pollock - Western /<br>Central Gulf of Alaska                   | No   | No   | No                                      | NA                               | N/A                               | 0.99                            | 4                         |
| PFMC         | Coastal Pelagic Species   | Jack mackerel - Pacific Coast   | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |

| Jurisdiction | FMP                      | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|--------------------------|--|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| PFMC         | Coastal Pelagic Species  | Northern anchovy - Northern<br>Pacific Coast     | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Coastal Pelagic Species  | Northern anchovy - Southern<br>Pacific Coast     | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| PFMC         | Coastal Pelagic Species  | Opalescent inshore squid - Pacific<br>Coast      | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Coastal Pelagic Species  | Pacific chub mackerel - Pacific<br>Coast         | No   | No   | No                                      | NA                               | N/A                               | 5.11                            | 4                         |
| PFMC         | Coastal Pelagic Species  | Pacific sardine - Pacific Coast                  | No   | No   | No                                      | NA                               | N/A                               | 0.34                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Arrowtooth flounder - Pacific<br>Coast           | No   | No   | No                                      | NA                               | N/A                               | 1.97                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Bank rockfish - California                       | Unknown  | No   | No                                      | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| PFMC         | Pacific Coast Groundfish | Black rockfish - Northern Pacific<br>Coast       | No   | No   | No                                      | NA                               | N/A                               | 1.38                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Blackgill rockfish - Southern<br>California      | Unknown  | No   | No                                      | NA                               | N/A                               | 0.76                            | 1.5                       |
| PFMC         | Pacific Coast Groundfish | Blue rockfish - California                       | Unknown  | No   | No                                      | NA                               | N/A                               | 0.75                            | 1.5                       |
| PFMC         | Pacific Coast Groundfish | Bocaccio - Southern Pacific Coast                | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding           | Year 14 of 22-<br>year plan       | 0.65                            | 3                         |
| PFMC         | Pacific Coast Groundfish | Brown rockfish - Pacific Coast                   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Pacific Coast Groundfish | Cabezon - California                             | No   | No   | No                                      | NA                               | N/A                               | 1.17                            | 4                         |
| PFMC         | Pacific Coast Groundfish | California scorpionfish - Southern<br>California | No   | No   | Unknown                                 | NA                               | N/A                               | 1.99                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Canary rockfish - Pacific Coast                  | No   | Yes  | NA                                      | Continue<br>Rebuilding           | Year 13 of 26-<br>year plan       | 0.58                            | 2                         |
| PFMC         | Pacific Coast Groundfish | Chilipepper - Southern Pacific<br>Coast          | No   | No   | No                                      | NA                               | N/A                               | 1.78                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Cowcod - Southern California                     | No   | Yes  | NA                                      | Continue<br>Rebuilding           | Year 13 of 67-<br>year plan       | 0.11                            | 2                         |
| PFMC         | Pacific Coast Groundfish | Darkblotched rockfish - Pacific<br>Coast         | No   | No - Rebuilding                                    | No                                      | Continue<br>Rebuilding           | Year 12 of 23-<br>year plan       | 0.76                            | 3                         |
| PFMC         | Pacific Coast Groundfish | Dover sole - Pacific Coast                       | No   | No   | No                                      | NA                               | N/A                               | 3.35                            | 4                         |

| Jurisdiction | FMP                      | Stock                                    | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|--------------------------|--|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| PFMC         | Pacific Coast Groundfish | English sole - Pacific Coast             | No   | No   | No                                      | NA                               | N/A                               | 2.91                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Gopher rockfish - Northern<br>California | Unknown  | No   | Unknown                                 | NA                               | N/A                               | 2.42                            | 2.5                       |
| PFMC         | Pacific Coast Groundfish | Kelp greenling - Oregon                  | Unknown  | No   | Unknown                                 | NA                               | N/A                               | 1.22                            | 2.5                       |
| PFMC         | Pacific Coast Groundfish | Lingcod - Pacific Coast                  | No   | No   | No                                      | N/A                              | NA                                | 1.68                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Longnose skate - Pacific Coast           | No   | No   | No                                      | NA                               | N/A                               | 1.65                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Longspine thornyhead - Pacific<br>Coast  | No   | No   | No                                      | NA                               | N/A                               | 1.78                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Pacific cod - Pacific Coast              | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| PFMC         | Pacific Coast Groundfish | Pacific grenadier - Pacific Coast        | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Pacific Coast Groundfish | Pacific hake - Pacific Coast             | No   | No   | No                                      | NA                               | N/A                               | 1.81                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Pacific ocean perch - Pacific Coast      | No   | Yes  | No                                      | Continue<br>Rebuilding           | Year 14 of 20-<br>year plan       | 0.48                            | 2                         |
| PFMC         | Pacific Coast Groundfish | Pacific sanddab - Pacific Coast          | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Pacific Coast Groundfish | Petrale sole - Pacific Coast             | No   | No - Rebuilding                                    | NA                                      | Continue<br>Rebuilding           | Year 2 of 4-year<br>plan          | 0.72                            | 3                         |
| PFMC         | Pacific Coast Groundfish | Rex sole - Pacific Coast                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Pacific Coast Groundfish | Rougheye rockfish - Pacific Coast        | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Pacific Coast Groundfish | Sablefish - Pacific Coast                | No   | No   | No                                      | NA                               | N/A                               | 0.84                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Sand sole - Pacific Coast                | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| PFMC         | Pacific Coast Groundfish | Shortbelly rockfish - Pacific Coast      | No   | No   | No                                      | NA                               | N/A                               | 1.67                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Shortspine thornyhead - Pacific<br>Coast | No   | No   | No                                      | NA                               | N/A                               | 1.57                            | 4                         |
| PFMC         | Pacific Coast Groundfish | Spiny dogfish - Pacific Coast            | Unknown  | No   | No                                      | NA                               | N/A                               | 1.58                            | 2.5                       |
| PFMC         | Pacific Coast Groundfish | Splitnose rockfish - Pacific Coast       | No   | No   | No                                      | NA                               | N/A                               | 1.64                            | 4                         |

| Jurisdiction    | FMP  | Stock   | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy            | Official<br>FSSI<br>Score |
|-----------------|--|---|--|--|---|----------------------------------|-----------------------------------|--|---------------------------|
| PFMC            | Pacific Coast Groundfish   | Starry flounder - Pacific Coast                 | No   | No   | Unknown                                 | NA                               | N/A                               | 1.25                                       | 4                         |
| PFMC            | Pacific Coast Groundfish   | Vermilion rockfish - California                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                           | 0                         |
| PFMC            | Pacific Coast Groundfish   | Widow rockfish - Pacific Coast                  | No   | No   | No                                      | N/A                              | NA                                | 1.28                                       | 4                         |
| PFMC            | Pacific Coast Groundfish   | Yelloweye rockfish - Pacific Coast              | No   | Yes  | NA                                      | Continue<br>Rebuilding           | Year 11 of 71-<br>year plan       | 0.53                                       | 2                         |
| PFMC            | Pacific Coast Groundfish   | Yellowtail rockfish - Northern<br>Pacific Coast | No   | No   | No                                      | NA                               | N/A                               | 1.36                                       | 4                         |
| PFMC            | U.S. West Coast Fisheries for<br>Highly Migratory Species  | Skipjack tuna - Eastern Tropical<br>Pacific *   | No   | No   | No                                      | NA                               | N/A                               | >1   | 4                         |
| PFMC            | U.S. West Coast Fisheries for<br>Highly Migratory Species  | Striped marlin - Eastern Tropical<br>Pacific *  | No   | No   | No                                      | NA                               | N/A                               | >1   | 4                         |
| PFMC            | U.S. West Coast Fisheries for<br>Highly Migratory Species  | Yellowfin tuna - Eastern Tropical<br>Pacific    | No   | No   | No                                      | NA                               | N/A                               | 0.96                                       | 4                         |
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for<br>Highly Migratory Species /<br>Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Albacore - North Pacific *                      | No   | No   | No                                      | NA                               | N/A                               | not<br>estimated                           | 3                         |
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for<br>Highly Migratory Species /<br>Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Bigeye tuna - Pacific                           | Yes  | No   | No                                      | Reduce Mortality                 | N/A                               | 1.04 - ETP<br>stock<br>1.25 - CWP<br>stock | 3                         |
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for<br>Highly Migratory Species /<br>Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Blue shark - Pacific                            | No   | No   | Unknown                                 | NA                               | N/A                               | 1.08                                       | 4                         |

| Jurisdiction    | FMP  | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy            | Official<br>FSSI<br>Score |
|-----------------|--|--|--|--|---|---|-----------------------------------|--|---------------------------|
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for<br>Highly Migratory Species /<br>Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Dolphinfish - Pacific                            | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                           | 0                         |
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for<br>Highly Migratory Species /<br>Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Pacific bluefin tuna - Pacific*                  | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | N/A                               | 0.18                                       | 1                         |
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for<br>Highly Migratory Species /<br>Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Swordfish - North Pacific *                      | No   | No   | No                                      | NA  | N/A                               | 1.31 - CWP<br>stock<br>2.44 - ETP<br>stock | 4                         |
| SAFMC           | Dolphin and Wahoo Fishery of<br>the Atlantic   | Dolphinfish - Southern Atlantic<br>Coast         | No   | No   | No                                      | NA  | N/A                               | 1.56                                       | 4                         |
| SAFMC           | Shrimp Fishery of the South<br>Atlantic Region   | Brown rock shrimp - Southern<br>Atlantic Coast * | No   | Unknown  | No                                      | NA  | N/A                               | not<br>estimated                           | 1.5                       |
| SAFMC           | Shrimp Fishery of the South<br>Atlantic Region   | Brown shrimp - Southern Atlantic<br>Coast        | No   | No   | No                                      | NA  | N/A                               | 10.81                                      | 4                         |
| SAFMC           | Shrimp Fishery of the South<br>Atlantic Region   | Pink shrimp - Southern Atlantic<br>Coast         | No   | No   | No                                      | NA  | N/A                               | 1.06                                       | 4                         |
| SAFMC           | Shrimp Fishery of the South<br>Atlantic Region   | White shrimp - Southern Atlantic<br>Coast        | No   | No   | No                                      | NA  | N/A                               | 5.12                                       | 4                         |
| SAFMC           | Snapper-Grouper Fishery of the<br>South Atlantic Region  | Black sea bass - Southern Atlantic<br>Coast      | Yes  | No - Rebuilding                                    | No                                      | NA  | Year 8 of 10-<br>year plan        | 0.70                                       | 2                         |
| SAFMC           | Snapper-Grouper Fishery of the<br>South Atlantic Region  | Gag - Southern Atlantic Coast                    | Yes  | No   | Yes                                     | Reduce Mortality                            | N/A                               | 0.94                                       | 3                         |
| SAFMC           | Snapper-Grouper Fishery of the<br>South Atlantic Region  | Gray triggerfish - Southern<br>Atlantic Coast    | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                           | 1.5                       |

| Jurisdiction | FMP   | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required            | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|---|--|--|--|---|---|-----------------------------------|---------------------------------|---------------------------|
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Greater amberjack - Southern<br>Atlantic Coast                 | No   | No   | No                                      | NA  | N/A                               | 1.10                            | 4                         |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Hogfish - Southern Atlantic Coast                              | Unknown  | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 0                         |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Nassau grouper - Southern<br>Atlantic Coast / Gulf of Mexico * | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Red grouper - Southern Atlantic<br>Coast                       | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 1 of 10-<br>year plan        | 0.79                            | 1                         |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Red porgy - Southern Atlantic<br>Coast                         | No   | Yes  | No                                      | Continue<br>Rebuilding                      | Year 13 of 18-<br>year plan       | 0.48                            | 2                         |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Red snapper - Southern Atlantic<br>Coast                       | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 3 of 35-<br>year plan        | 0.13                            | 1                         |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Scamp - Southern Atlantic Coast                                | No   | Unknown  | Unknown                                 | NA  | N/A                               | not<br>estimated                | 1.5                       |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Snowy grouper - Southern Atlantic<br>Coast                     | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Continue<br>Rebuilding | Year 8 of 34-<br>year plan        | 0.18                            | 1                         |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Speckled hind - Southern Atlantic<br>Coast                     | Yes  | Unknown  | Unknown                                 | Reduce Mortality                            | N/A                               | not<br>estimated                | 0.5                       |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Tilefish - Southern Atlantic Coast                             | No   | No   | No                                      | NA  | N/A                               | 2.17                            | 4                         |
| SAFMC        | Snapper-Grouper Fishery of the<br>South Atlantic Region | Vermilion snapper - Southern<br>Atlantic Coast                 | No   | No   | No                                      | NA  | N/A                               | 1.32                            | 4                         |

| Jurisdiction     | FMP   | Stock   | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|------------------|---|---|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| SAFMC            | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Warsaw grouper - Southern<br>Atlantic Coast                     | Yes  | Unknown  | Unknown                                 | Reduce Mortality                 | N/A                               | not<br>estimated                | 0.5                       |
| SAFMC            | Snapper-Grouper Fishery of the<br>South Atlantic Region   | White grunt - Southern Atlantic<br>Coast                        | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| SAFMC            | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Wreckfish - Southern Atlantic<br>Coast *                        | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| SAFMC /<br>GMFMC | Coastal Migratory Pelagic<br>Resources of the Gulf of Mexico<br>and South Atlantic                        | Cobia - Gulf of Mexico  | No   | No   | No                                      | NA                               | N/A                               | 1.07                            | 4                         |
| SAFMC /<br>GMFMC | Coastal Migratory Pelagic<br>Resources of the Gulf of Mexico<br>and South Atlantic                        | King mackerel - Gulf of Mexico                                  | No   | No   | No                                      | NA                               | N/A                               | 1.24                            | 4                         |
| SAFMC /<br>GMFMC | Coastal Migratory Pelagic<br>Resources of the Gulf of Mexico<br>and South Atlantic                        | King mackerel - Southern Atlantic<br>Coast                      | No   | No   | No                                      | NA                               | N/A                               | 1.12                            | 4                         |
| SAFMC /<br>GMFMC | Coastal Migratory Pelagic<br>Resources of the Gulf of Mexico<br>and South Atlantic                        | Spanish mackerel - Gulf of Mexico                               | No   | No   | No                                      | NA                               | N/A                               | 1.34                            | 4                         |
| SAFMC /<br>GMFMC | Coastal Migratory Pelagic<br>Resources of the Gulf of Mexico<br>and South Atlantic                        | Spanish mackerel - Southern<br>Atlantic Coast *                 | No   | No   | No                                      | NA                               | N/A                               | 1.49                            | 4                         |
| SAFMC            | Snapper-Grouper Fishery of the<br>South Atlantic Region / Reef<br>Fish Resources of the Gulf of<br>Mexico | Black grouper - Southern Atlantic<br>Coast *                    | No   | No   | No                                      | NA                               | N/A                               | 1.40                            | 4                         |
| SAFMC /<br>GMFMC | Snapper-Grouper Fishery of the<br>South Atlantic Region / Reef<br>Fish Resources of the Gulf of<br>Mexico | Goliath grouper - Southern<br>Atlantic Coast / Gulf of Mexico * | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |

| Jurisdiction     | FMP   | Stock   | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|------------------|---|---|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| SAFMC /<br>GMFMC | Snapper-Grouper Fishery of the<br>South Atlantic Region / Reef<br>Fish Resources of the Gulf of<br>Mexico | Yellowtail snapper - Southern<br>Atlantic Coast / Gulf of Mexico        | No   | No   | No                                      | NA                               | N/A                               | 2.70                            | 4                         |
| SAFMC /<br>GMFMC | Spiny Lobster in the Gulf of<br>Mexico and South Atlantic   | Caribbean spiny lobster - Southern<br>Atlantic Coast / Gulf of Mexico   | No   | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 1.5                       |
| WPFMC            | American Samoa Archipelago<br>Ecosystem   | American Samoa Bottomfish Multi-<br>species Complex *                   | No   | No   | No                                      | NA                               | N/A                               | 1.75                            | 4                         |
| WPFMC            | Hawaii Archipelago Ecosystem  | Bigeye scad - Hawaiian<br>Archipelago                                   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| WPFMC            | Hawaii Archipelago Ecosystem  | Hancock Seamount Groundfish<br>Complex *                                | Unknown  | Yes  | NA                                      | Continue<br>Rebuilding           | Year 28 of plan                   | not<br>estimated                | 0.5                       |
| WPFMC            | Hawaii Archipelago Ecosystem  | Hawaiian Archipelago Coral Reef<br>Ecosystem Multi-species Complex<br>* | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| WPFMC            | Hawaii Archipelago Ecosystem  | Mackerel scad - Hawaiian<br>Archipelago                                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| WPFMC            | Hawaii Archipelago Ecosystem  | Main Hawaiian Islands Deep 7<br>Bottomfish Multi-species Complex<br>*   | No   | No   | No                                      | NA                               | N/A                               | 0.95                            | 4                         |
| WPFMC            | Mariana Archipelago Ecosystem   | Guam Bottomfish Multi-species<br>Complex *                              | No   | No   | No                                      | NA                               | N/A                               | 1.56                            | 4                         |
| WPFMC            | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem                                   | Albacore - South Pacific  | No   | No   | No                                      | NA                               | N/A                               | 1.26                            | 4                         |
| WPFMC            | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem                                   | Indo-Pacific blue marlin - Pacific                                      | No   | No   | No                                      | NA                               | N/A                               | 1.40                            | 4                         |
| WPFMC            | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem                                   | Kawakawa - Tropical Pacific   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| WPFMC            | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem                                   | Opah - Pacific  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |

| Jurisdiction | FMP   | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress | B/Bmsy<br>or<br>B/Bmsy<br>proxy | Official<br>FSSI<br>Score |
|--------------|---|--|--|--|---|----------------------------------|-----------------------------------|---------------------------------|---------------------------|
| WPFMC        | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Shortbill spearfish - Pacific                    | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| WPFMC        | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Skipjack tuna - Central Western<br>Pacific *     | No   | No   | No                                      | NA                               | N/A                               | 2.68                            | 4                         |
| WPFMC        | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Striped marlin - Central Western<br>Pacific *    | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| WPFMC        | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Wahoo - Pacific                                  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               | not<br>estimated                | 0                         |
| WPFMC        | Pacific Pelagic Fisheries of the<br>Western Pacific Region<br>Ecosystem | Yellowfin tuna - Central Western<br>Pacific *    | No   | No   | No                                      | NA                               | N/A                               | 1.33                            | 4                         |
| T            | he following stocks will continue                                       | e to be reported in the FSSI until               | FY15 to maintain   | consistency in th                                  | e number of stocks                      | s in the Index. See              | footnotes for ex                  | planation.                      |                           |
|              |   | Stone crabs (Menippe spp.) - Gulf<br>of Mexico * |  |  |   |                                  |                                   | not<br>estimated                | 1.5                       |
|              |   | Little tunny - Gulf of Mexico *                  |  |  |   |                                  |                                   | not<br>estimated                | 1.5                       |
|              |   | Black grouper - Gulf of Mexico *                 |  |  |   |                                  |                                   | 1.40                            | 4                         |

613.5

| Jurisdiction | Stock                                   | Footnote   |
|--------------|---|--|
| CFMC         | Caribbean Grouper Unit 1                | Caribbean Grouper Unit 1 is part of the Caribbean Reef Fish FMU and is composed of Nassau grouper. The fishery in the EEZ is closed. The fishery is now closed in the territorial waters of the USVI and Puerto Rico, therefore fishing mortality is very low.   |
| CFMC         | Caribbean Grouper Unit 2                | Caribbean Grouper Unit 2 is part of the Caribbean Reef Fish FMU and is composed of Goliath grouper. The fishery is now closed in the territorial waters of the USVI and Puerto Rico, therefore fishing mortality is very low.  |
| CFMC         | Caribbean Grouper Unit 4                | Caribbean Grouper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of black, red, tiger, and yellowfin grouper. There is no indicator species for this unit.  |
| CFMC         | Caribbean Snapper Unit 1                | Caribbean Snapper Unit 1 is part of the Caribbean Reef Fish FMU and is composed of silk, black, vermilion, and blackfin snapper; and wenchman. There is no indicator species for this unit.  |
| CFMC         | Caribbean Snapper Unit 3                | Caribbean Snapper Unit 3 is part of the Caribbean Reef Fish FMU and is composed of gray, lane, mutton, dog, schoolmaster, and mahogany snapper; at present, there are more data for mutton snapper than for the other species contained in this unit, but no indicator species has been identified.  |
| CFMC         | Caribbean Snapper Unit 4                | Caribbean Snapper Unit 4 is part of the Caribbean Reef Fish FMU and is composed of yellowtail snapper. There is no indicator species for this unit.  |
| GMFMC        | Yellowedge grouper - Gulf of Mexico     | The overfished status of this stock is based on the best scientific information available, as determined in the most recent stock assessment (August 2011). Currently, the criteria for determining the overfished status are not defined in the fishery management plan, but will be adopted and implemented in the FMP under the recomendation of the Scientific and Statistical Committee (SSC).  |
| GMFMC        | Brown shrimp - Gulf of Mexico           | Overfishing determination is pre-SFA.  |
| HMS          | Atlantic Large Coastal Shark<br>Complex | In addition to Sandbar Shark, Gulf of Mexico Blacktip Shark, Atlantic Blacktip Shark, and Scalloped Hammerhead (which are assessed individually), the Large Coastal Shark Complex also consists of additional stocks including Spinner Shark, Silky Shark, Bull Shark, Tiger Shark, Lemon Shark, Nurse Shark, Great Hammerhead Shark, and Smooth Hammerhead Shark. In addition, several LCS species cannot be retained in commercial or recreational fisheries, including Bignose Shark, Galapagos Shark, Night Shark, Caribbean Reef Shark, Narrowtooth Shark, Sand Tiger Shark, Bigeye Sand Tiger Shark, Whale Shark, Basking Shark, White Shark.                    |
| HMS          | Atlantic Small Coastal Shark<br>Complex | In addition to Finetooth Shark, Atlantic Sharpnose Shark, Blacknose Shark, and Bonnethead Shark (which are assessed individually), the Small Coastal Shark Complex also consists of: Atlantic Angel Shark, Caribbean Sharpnose Shark, and Smalltail Shark; these 3 species cannot be retained in recreational or commercial fisheries.   |
| HMS          | Atlantic sharpnose shark - Atlantic     | This stock is part of the Small Coastal Shark Complex, but is assessed separately.   |
| HMS          | Bigeye tuna - Atlantic                  | The 2010 stock assessment estimated the range of B/Bmsy=0.72-1.34, while the median estimate was 1.01. Due to the uncertainty in the 2010 bigeye assessment, the Agency has not declared this stock rebuilt. Rather, it is considered as rebuilding, and this determination also mirrors the language in the SCRS bigeye stock assessment report from 2010 that discusses the higher odds of rebuilding to levels that could produce MSY if there are lower catches.   |
| HMS          | Blacknose shark - Atlantic              | This stock is part of the Small Coastal Shark Complex, but is assessed separately.   |
| HMS          | Blacktip shark - Gulf of Mexico         | This stock is part of the Large Coastal Shark Complex, but is assessed separately.   |
| HMS          | Blacktip shark - South Atlantic         | This stock is part of the Large Coastal Shark Complex, but is assessed separately.   |
| HMS          | Blue marlin - Atlantic                  | For the overfished North Atlantic blue and white marlins, Amendment One to the Atlantic Billfish FMP established a foundation to develop an international rebuilding plan. An international rebuilding plan with a two-phase approach was adopted in 2000 by ICCAT; Phase I was implemented on 6/1/2001, while the United States continues to work toward its full implementation. It should be noted that the ICCAT rebuilding program does not satisfy all the requirements of the Magnuson-Stevens Act. NMFS is continuing to work domestically to monitor its fisheries and promote conservation. The SCRS conducted assessments of blue and white marlin in 2006. |
| HMS          | Blue shark - Atlantic                   | This stock is part of the Pelagic Shark Complex, but is assessed separately.   |
| HMS          | Bonnethead - Atlantic                   | This stock is part of the Small Coastal Shark Complex, but is assessed separately.   |

| Jurisdiction | Stock  | Footnote  |
|--------------|--|---|
| HMS          | Dusky shark - Atlantic                                   | The first species-specific dusky shark assessment occurred in 2006 and indicates that dusky shark stocks have been depleted 62-80 percent with respect to virgin biomass. Assessment scientists recommend that the rebuilding timeframe for dusky sharks could last anywhere from 100 to 400 years.   |
| HMS          | Finetooth shark - Atlantic                               | This stock is part of the Small Coastal Shark Complex, but is assessed separately.  |
| HMS          | Porbeagle - Atlantic                                     | This stock is part of the Pelagic Shark Complex, but is assessed separately. According to the 2005 recovery assessment report conducted by Canada, the North Atlantic porbeagle stock has a 70 percent probability of recovery in approximately 100 years if F is less than or equal to 0.04. There is no U.S. domestic rebuilding plan in place for this species. A rebuilding plan will be implemented in an upcoming Amendment estimated to be finalized in 2008. Until this new Amendment is in place, porbeagle sharks will be managed according to the 1999 HMS FMP. A range of 0.15-0.32 is reported for the B/Bmsy estimate.  |
| HMS          | Sailfish - Western Atlantic                              | For overfished sailfish, Amendment One to the Atlantic Billfish FMP established the foundation to develop an international 10-year rebuilding program. While steps have been taken internationally to pursue recovery of the overfished west Atlantic sailfish stock, an international rebuilding program has not yet been adopted. NMFS is continuing to work through ICCAT to establish an international rebuilding program and is working domestically to monitor its fisheries and promote conservation. The B/Bmsy is estimated to be > 75%Bmsy.   |
| HMS          | Sandbar shark - Atlantic                                 | This stock is part of the Large Coastal Shark Complex, but is assessed separately.  |
| HMS          | Shortfin mako - Atlantic                                 | This stock is part of the Pelagic Shark Complex, but is assessed separately.  |
| HMS          | White marlin - Atlantic                                  | An international rebuilding plan with a two-phase approach was adopted in 2000 by ICCAT; Phase I was implemented on 6/1/2001, while the United States continues to work toward its full implementation. It should be noted that the ICCAT rebuilding program does not satisfy all the requirements of the Magnuson-Stevens Act. NMFS is continuing to work domestically to monitor its fisheries and promote conservation. Overfishing for this stock may not have been occurring in 2010; however, due to the high level of uncertainty in the assessment, the status remains unchanged. This stock is anticipated to be assessed again in 2016  |
| MAFMC        | Atlantic mackerel - Gulf of Maine /<br>Cape Hatteras     | The status of Atlantic mackerel has been changed from not subject to overfishing and not overfished to unknown. The 2010 assessment was rejected and a recent review of the 2005 assessment found the determinations should be considered invalid because the reference points were deemed inappropriate.   |
| MAFMC        | Butterfish - Gulf of Maine / Cape<br>Hatteras            | The overfished status of butterfish is unknown, based on the fact that the last assessment was unable to estimate stock size with reasonable confidence. In addition, the previous assessment conducted in 2004, was found to have significant problems in retrospect, such that stock size estimates are highly uncertain. In order to maintain a precautionary approach, this stock will remain in a rebuilding plan until it can be confirmed with reasonable confidence that stock size has reached an appropriate rebuilding target.   |
| MAFMC        | Longfin inshore squid - Georges<br>Bank / Cape Hatteras  | The most recent stock assessment conducted in 2011 found that the current fishing mortality reference points are inappropriate for assessing the overfishing status of longfin inshore squid. Thus, the previous assessment's overfishing determination has been invalidated and the overfishing status is unknown.   |
| MAFMC        | Northern shortfin squid -<br>Northwestern Atlantic Coast | Although Northern shortfin squid is currently listed as not subject to overfishing, the most recent stock assessment (2006) was not able to precisely determine current exploitation rates or stock biomass. Nevertheless, the overfishing status of this stock remains unchanged, based on the results of an earlier assessment (2005).  |
| MAFMC        | Tilefish - Mid-Atlantic Coast                            | Although the most recent B/Bmsy = 1.04, this stock has not been declared rebuilt. SARC 48 (2009) notes the following: The biomass estimates for recent years from the ASPIC model are likely over-optimistic because trends in commercial VTR CPUE declined recently in a manner consistent with the passage of the strong 1999 cohort through the population (an interpretation further supported by the length frequency data). The current assessment model (ASPIC) does not account for those factors. Much of the confidence interval around the 2008 biomass estimate falls below the updated BMSY listed above. Based on these considerations there is no convincing evidence that the stock has rebuilt to levels above BTARGET. The rebuilt status will be re-evaluated when the stock is assessed next. |
| NEFMC        | Atlantic herring - Northwestern<br>Atlantic Coast        | Although this stock is currently listed as not subject to overfishing and not overfished, the most recent stock assessment conducted for Atlantic herring (2010) could not determine the overfishing or overfished status. Stock status is based on a stock assessment conducted in 2009 (TRAC).  |

| Jurisdiction | Stock   | Footnote  |
|--------------|---|---|
| NEFMC        | Red deepsea crab - Northwestern<br>Atlantic       | In the most recent stock assessments (NEFSC 2006) the current MSY and BMSY estimates for red crabs were criticized and judged unreliable due to uncertainty about biological parameters and the model used to calculate MSY. New estimates were not developed due to lack of information about growth, longevity and trends in abundance (from the 2009 Data Poor Working Group Report).  |
| NEFMC        | Acadian redfish - Gulf of Maine /<br>Georges Bank | Based on the current FMP GARM III (2008) reference points, the stock was considered not subject to overfishing and not overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not subject to overfishing, and not overfished. The stock biomass has now exceeded the level needed to attain rebuilt status. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.                     |
| NEFMC        | American plaice - Gulf of Maine /<br>Georges Bank | Based on the current FMP GARM III (2008) reference points, the stock was considered not subject to overfishing and not overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not subject to overfishing and not overfished, but is making insufficient rebuilding progress. The final results of the Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.   |
| NEFMC        | Atlantic cod - Georges Bank                       | Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates. |
| NEFMC        | Atlantic cod - Gulf of Maine                      | Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and not overfished. However, based on the, 2012, Assessment/Updates new reference points for the stock were developed, and the stock was determined to remain subject to overfishing, and overfished. The final results of the Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the Assessments/Updates.   |
| NEFMC        | Atlantic halibut - Northwestern<br>Atlantic Coast | Based on the current FMP GARM III (2008) reference points, the stock was considered not subject to overfishing and overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.  |
| NEFMC        | Haddock - Georges Bank                            | Based on the current FMP GARM III (2008) reference points, the stock was considered not subject to overfishing and not overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not subject to overfishing and not overfished. The final results of the Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.   |
| NEFMC        | Haddock - Gulf of Maine                           | Based on the current FMP GARM III (2008) reference points, the stock was not subject to overfishing and not overfished. However, based on the, 2012, Assessment/Updates new reference points for the stock were developed, and the stock was determined to be subject to overfishing, not overfished, but is approaching an overfish condition. The final results of the Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the Assessments/Updates.  |
| NEFMC        | Ocean pout - Northwestern Atlantic<br>Coast       | Based on the current FMP GARM III (2008) reference points, the stock was considered not subject to overfishing and overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock remains not subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.  |
| NEFMC        | Offshore hake - Northwestern<br>Atlantic Coast    | The most recent stock assessment for offshore hake finalized in 2011, found that the biological reference points used to make the status determination in 2003 was invalid; as a result, the overfished status has been changed to undefined.   |

| Jurisdiction | Stock  | Footnote  |
|--------------|--|---|
| NEFMC        | Windowpane - Gulf of Maine /<br>Georges Bank                                   | Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates. |
| NEFMC        | Windowpane - Southern New<br>England / Mid-Atlantic                            | Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and not overfished. Based on the 2012 Assessment/Updates new reference points for the stock were developed, and the stock is not subject to overfishing and not overfished. The stock biomass has now exceeded the level needed to attain rebuilt status. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates.                               |
| NEFMC        | Witch flounder - Northwestern<br>Atlantic Coast                                | Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates. |
| NEFMC        | Yellowtail flounder - Cape Cod /<br>Gulf of Maine                              | Based on the current FMP GARM III (2008) reference points, the stock was considered subject to overfishing and overfished. Based on the March, 2012, Assessment or Data Updates of 13 Northeast Groundfish Stocks through 2010 (2012 Assessments/Updates) new reference points for the stock were developed, and the stock was determined to continue to be subject to overfishing and overfished. The final results of the 2012 Assessments/Updates are considered the best scientific information available for management of the multispecies stocks. Future FMP management actions will take into account the 2012 Assessments/Updates. |
| NEFMC        | Yellowtail flounder - Southern New<br>England / Mid-Atlantic                   | The SAW/SARC 54 supports the determination that this stock is no longer subject to overfishing, no longer overfished, and rebuilt, based on the best scientific information available (BSIA), as determined by the Scientific and Statistical Committee (SSC). New numerical estimates of these reference points are Fmsy=0.316, Bmsy=2,995 mt, and Blimit=1,498 mt, which are currently not implemented in the Northeast Fishery Management Plan (FMP). These new estimates will be incorporated into the FMP in a future management action.   |
| NEFMC        | Barndoor skate - Georges Bank /<br>Southern New England                        | Exact rebuilding time period unspecified in the FMP. Rebuilding may take decades, based on the long-lived, late maturing, and low fecundity nature of this species.   |
| NPFMC        | Blue king crab - Pribilof Islands  | The North Pacific Fishery Management Council is revising the rebuilding plan for this stock, which will extend the rebuilding target date . In the meantime, there is no directed fishing for blue king crab - Pribilof Islands and the majority of blue king crab habitat is closed to bottom trawling   |
| NPFMC        | Blue king crab - Saint Matthews<br>Island                                      | Fishery in the EEZ is closed; therefore, fishing mortality is very low.   |
| NPFMC        | Red king crab - Pribilof Islands   | Fishery in the EEZ is closed; therefore, fishing mortality is very low.   |
| NPFMC        | Bering Sea / Aleutian Islands<br>Blackspotted and Rougheye Rockfish<br>Complex | Blackspotted and Rougheye Rockfish consists of Blackspotted Rockfish and Rougheye Rockfish. An assessment of the combined species provides the overfished determination, and the OFL is based on the combined-species assessment.   |
| NPFMC        | Bering Sea / Aleutian Islands<br>Flathead Sole Complex                         | Flathead Sole consists of Flathead Sole and Bering Flounder. Flathead Sole accounts for the overwhelming majority of the biomass and is regarded as the indicator species for the complex. The overfished determination is based on the combined abundance estimates for the two species; the overfishing determination is based on the OFL, which is computed from the combined abundance estimates for the two species.   |
| NPFMC        | Bering Sea / Aleutian Islands Rock<br>Sole Complex                             | Rock Sole consists of Northern Rock Sole and Southern Rock Sole (NOTE: These are two distinct species, not two separate stocks of the same species). Northern Rock Sole accounts for the overwhelming majority of the biomass and is regarded as the indicator species for the complex. The overfished determination is based on the combined abundance estimates for the two species; the overfishing determination is based on the OFL, which is computed from the combined abundance estimates for the two species.  |

| Jurisdiction    | Stock   | Footnote   |
|-----------------|---|--|
| NPFMC           | Sablefish - Eastern Bering Sea /<br>Aleutian Islands / Gulf of Alaska | Although Sablefish is managed separately in the Gulf of Alaska, Bering Sea, and Aleutian Islands, with separate overfishing levels, ABCs, and TACs based on the proportion of biomass in each respective region, separate assessments are not conducted for each of these three regions; the assessment is based on aggregated data from the Gulf of Alaska, Bering Sea, and Aleutian Islands regions. Therefore, it is not appropriate to list separate status determinations for these three regions.  |
| NPFMC           | Gulf of Alaska Blackspotted and<br>Rougheye Rockfish Complex          | Blackspotted and Rougheye Rockfish consists of Blackspotted Rockfish and Rougheye Rockfish. An assessment of the combined species provides the overfished determination, and the OFL is based on the combined-species assessment.  |
| NPFMC           | Gulf of Alaska Deepwater Flatfish<br>Complex                          | The Deep Water Flatfish Complex consists of the following stocks: Deepsea Sole, Dover Sole, and Greenland Turbot. Prior to 2011, Dover sole was the indicator stock for the deep-water flatfish assemblage. However, the 2011 assessment contained a recommendation that the existing age-structured model be rejected., including using Dover sole as an indicator species. The deep-water flatfish complex therefore no longer has an indicator species and an overfished determination can no longer be made. The complex was not subject to overfishing in 2010.   |
| NPFMC           | Gulf of Alaska Demersal Shelf<br>Rockfish Complex                     | The Demersal Shelf Rockfish Complex consists of the following stocks: Canary Rockfish, China Rockfish, Copper Rockfish, Quillback Rockfish, Rosethorn Rockfish, Tiger Rockfish, and Yelloweye Rockfish. The overfishing determination is based on the OFL, which is computed by using estimates of Yelloweye Rockfish and then increased by 10% to account for the remaining members of the complex.   |
| NPFMC           | Gulf of Alaska Thornyhead Rockfish<br>Complex                         | The Thornyhead Rockfish Complex consists of the following stocks: Longspine Thornyhead and Shortspine Thornyhead. The overfishing determination is based on the OFL, which is computed using abundance estimates of Shortspine Thornyhead.   |
| PFMC            | Skipjack tuna - Eastern Tropical<br>Pacific                           | Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report.   |
| PFMC            | Striped marlin - Eastern Tropical<br>Pacific                          | Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council and the Western Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report. An assessment was conducted on the North Pacific striped marlin stock (ISC 2007, Report of 7th meeting of the ISC) and concluded that CPUE and other indicator trends have significantly declined from historical highs at the beginning of the fisheries to 2006. Although there is uncertainty associated with this assessment owing to data limitations, the results suggest that the stock in the North Pacific Ocean is experiencing intense exploitation. The responsible RFMO (IATTC and WCPFC) are scheduled to address this issue and provide justification for change in status. The previous status of not subject to overfishing and overfished will remain until/if the results of the ISC report are accepted. |
| PFMC /<br>WPFMC | Albacore - North Pacific  | The status of Albacore - North Pacific is based on a suite of FMSY proxies (F40%, F30% and F0.1), two estimated levels of recent fishing pressure (F=0.43 and F=0.68), and two scenarios of productivity (low R and high R). The resulting ratios of F/FMSY range from 1.02 to 2.26. However, the PFMC has not adopted a proxy for FMSY and thus status is listed as "unknown." The ratios of B/BMSY range from 0.67 to 1.07 against an overfished criteria of < 0.7 (see Appendix 2 of this report, 2005 PFMC HMS SAFE document, PFMC HMS FMP and 19th NPALPW Report for details).  |
| PFMC /<br>WPFMC | Pacific bluefin tuna - Pacific  | The PFMC and WPFMC were notified on April 8, 2013 that this stock is overfished. A domestic rebuilding plan will not be developed for this stock because the overfishing/overfished status is due to international fishing pressure and current measures in place will not end overfishing/rebuild the stock. Under section 304(i) of the MSA, NMFS and the Councils will maintain domestic regulations to address the impact of U.S. fishing vessels, and work with the State Department to reduce fishing and rebuild this stock. Internationally, the Western and Central Pacific Fisheries Commission (WCPFC) and the Inter-American Tropical Tuna Commission (IATTC) manage this stock.   |
| PFMC /<br>WPFMC | Swordfish - North Pacific   | The status of Swordfish - North Pacific is based on the assessments of the Central Western Pacific and Eastern Tropical Pacific stocks of swordfish.   |

| Jurisdiction     | Stock  | Footnote  |
|------------------|--|---|
| SAFMC            | Brown rock shrimp - Southern<br>Atlantic Coast                     | Although the overfished status of this stock has been reported in the past, there are no biomass reference points for assessing the overfished status.  |
| SAFMC            | Black grouper - Southern Atlantic<br>Coast                         | Black grouper is now assessed as a single Gulf of Mexico/South Atlantic stock, but is managed under both the Snapper-Grouper and Reef Fish of the Gulf of Mexico FMPs. Beginning in FY15, it will be listed as a single stock under the Snapper-Grouper FMP, but will also have separate catch levels under the Snapper-Grouper and Reef Fish of the Gulf of Mexico FMPs.   |
| SAFMC            | Nassau grouper - Southern Atlantic<br>Coast / Gulf of Mexico       | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  |
| SAFMC            | Wreckfish - Southern Atlantic Coast                                | Although the overfished determination is not known, landings are at extremely low levels and there are only two participants in the fishery.  |
| SAFMC /<br>GMFMC | Spanish mackerel - Southern Atlantic<br>Coast                      | The most recent Spanish mackerel assessment (2008) concluded the species was not subject to overfishing but overfished status was unknown. The most recent known determination of not overfished is based on the 2003 stock assessment.   |
| SAFMC /<br>GMFMC | Goliath grouper - Southern Atlantic<br>Coast / Gulf of Mexico      | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is approaching zero.  |
| WPFMC            | American Samoa Bottomfish Multi-<br>species Complex                | This complex contains up to 19 species including Seabass - hapuu'upu, Squirrelfish Snapper - ehu, Longtail Snapper - onaga, Silver Jaw Jobfish - lehi, Gray Jobfish - uku, Blueline Snapper, Yellowtail Snapper - yellow tail kalekale, Crimson jobfish - opakapaka, Yelloweye Snapper - yelloweye opakapaka, Von Siebolds Snapper - kalekale, Oblique-Banded Snapper - gindai, Giant Trevally - white ulua, Black Jack - black ulua, Thick Lipped Trevally - pig ulua, Amberjack - kahala, Blacktip Grouper, Lunartail Grouper, Ambon Emperor, and Redgill Emperor.  |
| WPFMC            | Hancock Seamount Groundfish<br>Complex                             | Overfished determination is pre-SFA. This stock complex uses pelagic armorhead as the indicator species of a three-species seamount groundfish complex that includes raftfish and alfonsin. Post-SFA overfishing/overfished definitions were approved in 2003 for the seamount groundfish stock complex, for which pelagic armorhead is assessed as the indicator species, but determinations have not yet been made relative to those new definitions. This stock complex does not have a formal rebuilding plan or time period for rebuilding. The fishery in the U.S. EEZ has been closed under sequential 6-year moratoria since the inception of the FMP in 1986. Effective Dec 2010, fishing for bottomfish and seamount groundfish at the Hancock Seamounts is prohibited until the stock is rebuilt - these measures are considered as a de facto rebuilding plan. The area around the Hancock Seamounts is classified as an ecosystem management area. |
| WPFMC            | Hawaiian Archipelago Coral Reef<br>Ecosystem Multi-species Complex | This complex contains up to 146 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa."  |
| WPFMC            | Main Hawaiian Islands Deep 7<br>Bottomfish Multi-species Complex   | The Main Hawaiian Islands Deep 7 Bottomfish Multi-Species Complex contains: onaga,, ehu, gindai, kalekale, opakapaka, lehi, and hapuupuu.   |
| WPFMC            | Guam Bottomfish Multi-species<br>Complex                           | This complex contains up to 19 species including Seabass - hapuu'upu, Squirrelfish Snapper - ehu, Longtail Snapper - onaga, Silver Jaw Jobfish - lehi, Gray Jobfish - uku, Blueline Snapper, Yellowtail Snapper - yellow tail kalekale, Crimson jobfish - opakapaka, Yelloweye Snapper - yelloweye opakapaka, Von Siebolds Snapper - kalekale, Oblique-Banded Snapper - gindai, Giant Trevally - white ulua, Black Jack - black ulua, Thick Lipped Trevally - pig ulua, Amberjack - kahala, Blacktip Grouper, Lunartail Grouper, Ambon Emperor, and Redgill Emperor.  |
| WPFMC            | Skipjack tuna - Central Western<br>Pacific                         | Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report.  |

| Jurisdiction | Stock                                       | Footnote   |
|--------------|---|--|
| WPFMC        | Striped marlin - Central Western<br>Pacific | Even though this stock is shown to be under the jurisdiction of a single Council and under the management of a single FMP, it is acknowledged that both the Pacific Fishery Management Council have jurisdiction over this stock, and it is managed under both the West Coast Highly Migratory Species FMP and the Western Pacific Pelagics FMP. The Council indicated here is the lead Council for the purposes of this report. An assessment was conducted on the North Pacific striped marlin stock (ISC 2007, Report of 7th meeting of the ISC) and concluded that CPUE and other indicator trends have significantly declined from historical highs at the beginning of the fisheries to 2006. Although there is uncertainty associated with this assessment owing to data limitations, the results suggest that the stock in the North Pacific Ocean is experiencing intense exploitation. |
| WPFMC        | LPacific .                                  | The yellowfin tuna resource is managed by both the Pacific Fishery Management Council and the Western Pacific Fishery Management Council. The PFMC manages the EPO stock under the West Coast Highly Migratory Species FMP and the WPFMC manages the WCPO stock under the Western Pacific Pelagics FMP.  |
|              | Intone crans (Weninne son ) - Calif of      | Effective November 11, 2011, stone crabs are no longer managed under a federal fishery management plan. The stone crab fishery takes place primarily in state waters off the coast of Florida, and the Florida Fish and Wildlife Conservation Commission (FWC) is extending its management of the fishery into Federal waters. The status of this stock will continue to be reported until it is officially removed from the FSSI stock list in FY13.  |
|              | Little tunny - Gulf of Mexico               | This stock was removed from the Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic FMP in 2011, but will continue to be listed as an FSSI stock until FY13.  |
|              | Black grouper - Gulf of Mexico              | Black grouper is now assessed as a single Gulf of Mexico/South Atlantic stock, but is managed under both the Snapper-Grouper and Reef Fish of the Gulf of Mexico FMPs. Beginning in FY15, it will be listed as a single stock under the Snapper-Grouper FMP, but will also have separate catch levels under the Snapper-Grouper and Reef Fish of the Gulf of Mexico FMPs.  |

| Jurisdiction | FMP   | Stock  | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|---|--|--|--|---|----------------------------------|-----------------------------------|
| CFMC         | Corals and Reef Associated Plants and<br>Invertebrates of Puerto Rico and the<br>United States Virgin Islands | Caribbean Aquarium Trade Species Complex *       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands  | Caribbean Angelfishes Complex *                  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Aquarium Trade Species Complex *       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Boxfishes Complex *                    | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Goatfishes Complex *                   | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands  | Caribbean Grouper Unit 3 *                       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the U.S. Virgin Islands  | Caribbean Grouper Unit 5 *                       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Grunts Complex *                       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Hogfish / Wrasses Complex *            | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Jacks Complex *                        | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Parrotfishes Complex                   | No   | No   | Yes                                     | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Porgies Complex *                      | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Snapper Unit 2 *                       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Squirrelfishes Complex *               | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Surgeonfishes Complex *                | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Tilefishes Complex *                   | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| CFMC         | Reef Fish Fishery of Puerto Rico and the<br>U.S. Virgin Islands   | Caribbean Triggerfishes and Filefishes Complex * | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| GMFMC        | Coral and Coral Reefs of the Gulf of<br>Mexico  | Black corals (Antipatharia) - Gulf of Mexico *   | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| GMFMC        | Coral and Coral Reefs of the Gulf of<br>Mexico  | Fire corals (Milleporidae) - Gulf of Mexico *    | No   | Unknown  | Unknown                                 | NA                               | N/A                               |

| Jurisdiction | FMP   | Stock  | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required        | Rebuilding<br>Program<br>Progress |
|--------------|---|--|--|--|---|---|-----------------------------------|
| GMFMC        | Coral and Coral Reefs of the Gulf of<br>Mexico    | Hydrocorals (Stylasteridae) - Gulf of Mexico *     | No   | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Coral and Coral Reefs of the Gulf of<br>Mexico    | Stony corals (Scleractinia) - Gulf of Mexico *     | No   | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Cubera snapper - Gulf of Mexico                    | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Gray snapper - Gulf of Mexico                      | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Gulf of Mexico Deep Water Grouper Complex          | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Gulf of Mexico Jacks Complex                       | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Gulf of Mexico Mid-Water Snapper Complex           | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Gulf of Mexico Shallow Water Grouper Complex       | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Gulf of Mexico Tilefishes Complex                  | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Lane snapper - Gulf of Mexico                      | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| GMFMC        | Reef Fish Resources of the Gulf of<br>Mexico      | Tilefish - Gulf of Mexico *                        | No   | No   | Unknown                                 | NA                                      | N/A                               |
| HMS          | Consolidated Atlantic Highly Migratory<br>Species | Atlantic Pelagic Shark Complex *                   | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| HMS          | Consolidated Atlantic Highly Migratory<br>Species | Blacknose shark - Gulf of Mexico                   | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| HMS          | Consolidated Atlantic Highly Migratory<br>Species | Longbill spearfish - Western Atlantic              | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| HMS          | Consolidated Atlantic Highly Migratory<br>Species | Roundscale spearfish - Atlantic                    | Unknown  | Unknown  | Unknown                                 | NA                                      | N/A                               |
| HMS          | Consolidated Atlantic Highly Migratory<br>Species | Scalloped hammerhead - Atlantic *                  | Yes  | Yes  | NA                                      | Reduce Mortality,<br>Rebuilding Program | N/A                               |
| HMS          | Consolidated Atlantic Highly Migratory<br>Species | Skipjack tuna - Western Atlantic                   | No   | No   | No                                      | NA                                      | N/A                               |
| NEFMC        | Atlantic Salmon                                   | Atlantic salmon - Gulf of Maine *                  | No   | Yes  | NA                                      | Rebuild - ESA listed                    | N/A                               |
| NEFMC        | Northeast Multispecies                            | Atlantic wolffish - Gulf of Maine / Georges Bank * | No   | Yes  | NA                                      | Continue Rebuilding                     | Year 4 of plan                    |

| Jurisdiction | FMP  | Stock  | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|--|--|--|--|---|----------------------------------|-----------------------------------|
| NPFMC        | Bering Sea/Aleutian Islands King and<br>Tanner Crabs                 | Golden king crab - Pribilof Islands                    | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Fish Resources of the Arctic<br>Management Area                      | Arctic cod - Arctic Management Area *                  | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Fish Resources of the Arctic<br>Management Area                      | Saffron cod - Arctic Management Area *                 | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Fish Resources of the Arctic<br>Management Area                      | Snow crab - Arctic Management Area *                   | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Bering Sea / Aleutian Islands Octopus Complex *        | Yes  | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Bering Sea / Aleutian Islands Other Flatfish Complex * | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Bering Sea / Aleutian Islands Other Rockfish Complex * | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Bering Sea / Aleutian Islands Sculpin Complex *        | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Bering Sea / Aleutian Islands Shark Complex *          | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Bering Sea / Aleutian Islands Skate Complex *          | No   | No   | No                                      | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Bering Sea / Aleutian Islands Squid Complex *          | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Kamchatka flounder - Bering Sea / Aleutian Islands     | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Shortraker rockfish - Bering Sea / Aleutian Islands    | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Bering Sea and<br>Aleutian Islands Management Area | Walleye pollock - Bogoslof                             | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Atka mackerel - Gulf of Alaska                         | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Big skate - Gulf of Alaska                             | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Gulf of Alaska Octopus Complex *                       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Gulf of Alaska Other Rockfish Complex *                | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Gulf of Alaska Sculpin Complex *                       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Gulf of Alaska Shallow Water Flatfish Complex *        | No   | No   | No                                      | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Gulf of Alaska Shark Complex *                         | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                                     | Gulf of Alaska Skate Complex *                         | No   | Unknown  | Unknown                                 | NA                               | N/A                               |

| Jurisdiction | FMP  | Stock   | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|--|---|--|--|---|----------------------------------|-----------------------------------|
| NPFMC        | Groundfish of the Gulf of Alaska                       | Gulf of Alaska Squid Complex *  | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                       | Longnose skate - Gulf of Alaska                                       | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                       | Shortraker rockfish - Gulf of Alaska                                  | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Groundfish of the Gulf of Alaska                       | Walleye pollock - Eastern Gulf of Alaska                              | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| NPFMC        | Salmon Fisheries in the EEZ off the<br>Coast of Alaska | Alaska Coho Salmon Assemblage *                                       | No   | No   | No                                      | NA                               | N/A                               |
| NPFMC        | Salmon Fisheries in the EEZ off the<br>Coast of Alaska | Chinook salmon - Eastern North Pacific Far North<br>Migrating         | No   | No   | No                                      | NA                               | N/A                               |
| NPFMC        | Scallop Fishery off Alaska                             | Weathervane scallop - Alaska  | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Coastal Pelagic Species                                | Krill (Euphausiacea) - Pacific Coast                                  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Black rockfish - Southern Pacific Coast                               | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Greenspotted rockfish - Pacific Coast                                 | Unknown  | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Greenstriped rockfish - Pacific Coast                                 | Unknown  | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Northern Pacific Coast Minor Nearshore Rockfish<br>Complex *          | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Northern Pacific Coast Minor Shelf Rockfish Complex *                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Northern Pacific Coast Minor Slope Rockfish Complex *                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Pacific Coast Other Flatfish Complex *                                | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Pacific Coast Other Groundfish Complex *                              | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Southern Pacific Coast Minor Nearshore Rockfish<br>Complex *          | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Southern Pacific Coast Minor Shelf Rockfish Complex *                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Groundfish                               | Southern Pacific Coast Minor Slope Rockfish Complex *                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon                                   | Chinook salmon - California Central Valley: Sacramento (fall)         | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon                                   | Chinook salmon - California Central Valley: Sacramento (spring)       | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon                                   | Chinook salmon - California Central Valley: Sacramento (winter)       | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon                                   | Chinook salmon - Columbia River Basin: Lower River<br>Hatchery (fall) | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |

| Jurisdiction | FMP                  | Stock  | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|----------------------|--|--|--|---|----------------------------------|-----------------------------------|
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Lower River<br>Hatchery (spring)            | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Mid-River<br>Bright Hatchery (fall)         | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: North Lewis (fall)                          | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Snake (fall)                                | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Snake<br>(spring/summer)                    | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Spring Creek<br>Hatchery (fall)             | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Upper River (spring)                        | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Upper River (summer)                        | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Upper River<br>Bright (fall)                | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Columbia River Basin: Upper<br>Willamette (spring)                | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Northern California Coast: Eel,<br>Mattole, and Mad (fall/spring) | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Northern California Coast: Klamath (fall)                         | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Northern California Coast: Klamath (spring)                       | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Northern California Coast: Smith (fall/spring)                    | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Oregon Coast: Central and Northern                                | Unknown  | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Oregon Coast: Southern  | Unknown  | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Cedar (summer/fall)                                  | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Eastern Strait of Juan de<br>Fuca (summer/fall)      | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Green (summer/fall)                                  | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Mid Hood Canal (summer/fall)                         | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |

| Jurisdiction | FMP                  | Stock  | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|----------------------|--|--|--|---|----------------------------------|-----------------------------------|
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Nisqually (summer/fall)          | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Nooksack (spring early)          | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Puyallup (summer/fall)           | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Skagit (spring)                  | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Skagit (summer/fall)             | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Skokomish (summer/fall)          | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Snohomish (summer/fall)          | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: Stillaguamish (summer/fall)      | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Puget Sound: White (spring)                   | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Grays Harbor (fall)         | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Grays Harbor (spring)       | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Hoh (fall)                  | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Hoh<br>(spring/summer)      | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Hoko (summer/fall)          | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Queets (fall)               | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Queets (spring/summer)      | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Quillayute (fall)           | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Quillayute (spring/summer)  | Unknown  | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Quinault Fall (hatchery)    | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Willapa Bay Fall (hatchery) | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |

| Jurisdiction | FMP                  | Stock   | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|----------------------|---|--|--|---|----------------------------------|-----------------------------------|
| PFMC         | Pacific Coast Salmon | Chinook salmon - Washington Coast: Willapa Bay Fall (natural)             | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Oregon Production Index Area: Central<br>California Coast   | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Oregon Production Index Area: Columbia (early hatchery)     | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Oregon Production Index Area: Columbia<br>(late hatchery)   | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Oregon Production Index Area: Columbia (natural) *          | NA Exception 2 **                                    | NA   | Unknown                                 | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Oregon Production Index Area: Northern<br>California        | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Oregon Production Index Area: Oregon<br>Coastal (hatchery)  | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Oregon Production Index Area: Oregon<br>Coastal (natural) * | NA Exception 2 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Puget Sound: Hood Canal                                     | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Puget Sound: Skagit   | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Puget Sound: Snohomish                                      | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Puget Sound: South Puget Sound (hatchery)                   | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Puget Sound: Stillaguamish                                  | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Grays Harbor                              | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Hoh                                       | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Queets                                    | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Quillayute (fall)                         | Unknown  | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Quillayute (summer)                       | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Quinault                                  | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Strait of Juan de Fuca                    | No   | No   | No                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Willapa Bay                               | NA Exception 1 **                                    | NA   | NA                                      | NA                               | N/A                               |
| PFMC         | Pacific Coast Salmon | Coho salmon - Washington Coast: Willapa Bay (natural)                     | Unknown  | Unknown  | No                                      | NA                               | N/A                               |

| Jurisdiction    | FMP   | Stock   | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|-----------------|---|---|--|--|---|----------------------------------|-----------------------------------|
| PFMC            | Pacific Coast Salmon  | Pink salmon - Puget Sound (odd-numbered years) *        | Unknown  | No   | No                                      | NA                               | N/A                               |
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for Highly<br>Migratory Species / Pacific Pelagic<br>Fisheries of the Western Pacific Region<br>Ecosystem | Shortfin mako - North Pacific                           | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| PFMC /<br>WPFMC | U.S. West Coast Fisheries for Highly<br>Migratory Species / Pacific Pelagic<br>Fisheries of the Western Pacific Region<br>Ecosystem | Thresher shark - North Pacific                          | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Coral, Coral Reefs and Live/Hard<br>Bottom Habitats of the South Atlantic<br>Region   | Black corals (Antipatharia) - Southern Atlantic Coast * | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Coral, Coral Reefs and Live/Hard<br>Bottom Habitats of the South Atlantic<br>Region   | Fire corals (Milleporidae) - Southern Atlantic Coast *  | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Coral, Coral Reefs and Live/Hard<br>Bottom Habitats of the South Atlantic<br>Region   | Hydrocorals (Stylasteridae) - Southern Atlantic Coast * | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Coral, Coral Reefs and Live/Hard<br>Bottom Habitats of the South Atlantic<br>Region   | Soft corals (Octocorallia) - Southern Atlantic Coast *  | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Coral, Coral Reefs and Live/Hard<br>Bottom Habitats of the South Atlantic<br>Region   | Stony corals (Scleractinia) - Southern Atlantic Coast * | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Dolphin and Wahoo Fishery of the<br>Atlantic  | Wahoo - Southern Atlantic Coast                         | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Golden Crab Fishery of the South<br>Atlantic Region   | Golden deepsea crab - Southern Atlantic Coast           | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Pelagic Sargassum Habitat of the South<br>Atlantic Region   | Sargassum - Southern Atlantic Coast *                   | No   | No   | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Snapper-Grouper Fishery of the South<br>Atlantic Region   | Atlantic spadefish - Southern Atlantic Coast            | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Snapper-Grouper Fishery of the South<br>Atlantic Region   | Bar jack - Southern Atlantic Coast                      | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC           | Snapper-Grouper Fishery of the South<br>Atlantic Region   | Blue runner - Southern Atlantic Coast                   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |

| Jurisdiction     | FMP  | Stock  | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|------------------|--|--|--|--|---|----------------------------------|-----------------------------------|
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | Gray snapper - Southern Atlantic Coast                         | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | Lane snapper - Southern Atlantic Coast                         | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | South Atlantic Deepwater Grouper Complex                       | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | South Atlantic Grunts Complex                                  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | South Atlantic Jacks Complex                                   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | South Atlantic Porgy Complex                                   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | South Atlantic Shallow Water Grouper Complex                   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | South Atlantic Snappers Complex                                | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC            | Snapper-Grouper Fishery of the South<br>Atlantic Region  | Yellowedge grouper - Southern Atlantic Coast                   | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| SAFMC /<br>GMFMC | Snapper-Grouper Fishery of the South<br>Atlantic Region / Reef Fish Resources<br>of the Gulf of Mexico | Mutton snapper - Southern Atlantic Coast / Gulf of<br>Mexico   | No   | No   | No                                      | NA                               | N/A                               |
| WPFMC            | American Samoa Archipelago<br>Ecosystem  | American Samoa Black Precious Coral Complex *                  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | American Samoa Archipelago<br>Ecosystem  | American Samoa Coral Reef Ecosystem Multi-species<br>Complex * | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | American Samoa Archipelago<br>Ecosystem  | American Samoa Exploratory Area Coral Complex *                | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | American Samoa Archipelago<br>Ecosystem  | Deepwater shrimps (Heterocarpus spp.) - American<br>Samoa      | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | American Samoa Archipelago<br>Ecosystem  | Kona crab - American Samoa                                     | Unknown  | Unknown  | Unknown                                 | NA                               | NA                                |
| WPFMC            | American Samoa Archipelago<br>Ecosystem  | Slipper lobsters (Scyllaridae) - American Samoa                | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | American Samoa Archipelago<br>Ecosystem  | Spiny lobsters (Panulirus spp.) - American Samoa *             | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | Hawaii Archipelago Ecosystem   | 180 Fathom Bank Coral Complex *                                | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | Hawaii Archipelago Ecosystem   | Au'Au Bed Black Coral Complex *                                | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC            | Hawaii Archipelago Ecosystem   | Brooks Bank Coral Complex *                                    | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |

| Jurisdiction | FMP                           | Stock   | Overfishing?<br>(Is Fishing<br>Mortality<br>above<br>Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|-------------------------------|---|--|--|---|----------------------------------|-----------------------------------|
| WPFMC        | Hawaii Archipelago Ecosystem  | Deepwater shrimps (Heterocarpus spp.) - Main Hawaiian<br>Islands          | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Hawaiian Archipelago Exploratory Area Coral Complex *                     | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Kaena Point Bed Coral Complex *   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Keahole Bed Coral Complex *   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Kona crab - Main Hawaiian Islands   | Unknown  | Unknown  | Unknown                                 | NA                               | NA                                |
| WPFMC        | Hawaii Archipelago Ecosystem  | Main Hawaiian Islands Non-Deep 7 Bottomfish Multi-<br>species Complex *   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Makapu'u Bed Precious Corals Multi-species Complex *                      | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Northwest Hawaiian Islands Bottomfish Multi-species<br>Complex *          | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Northwestern Hawaiian Islands Crustacean Complex *                        | No   | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Slipper lobsters (Scyllaridae) - Main Hawaiian Islands                    | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Hawaii Archipelago Ecosystem  | Spiny lobsters (Panulirus spp.) - Main Hawaiian Islands *                 | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Deepwater shrimps (Heterocarpus spp.) - Guam                              | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Deepwater shrimps (Heterocarpus spp.) - Northern<br>Mariana Islands       | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Guam Black Precious Coral Complex *                                       | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Guam Coral Reef Ecosystem Multi-species Complex *                         | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Guam Exploratory Area Coral Complex *                                     | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Kona crab - Guam  | Unknown  | Unknown  | Unknown                                 | NA                               | NA                                |
| WPFMC        | Mariana Archipelago Ecosystem | Kona crab - Northern Mariana Islands                                      | Unknown  | Unknown  | Unknown                                 | NA                               | NA                                |
| WPFMC        | Mariana Archipelago Ecosystem | Northern Mariana Islands Black Coral Complex *                            | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Northern Mariana Islands Bottomfish Multi-species<br>Complex *            | No   | No   | No                                      | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Northern Mariana Islands Coral Reef Ecosystem Multi-<br>species Complex * | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Northern Mariana Islands Exploratory Area Coral<br>Complex *              | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem | Slipper lobsters (Scyllaridae) - Guam                                     | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |

| Jurisdiction | FMP  | Stock  | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|--|--|--|--|---|----------------------------------|-----------------------------------|
| WPFMC        | Mariana Archipelago Ecosystem  | Slipper lobsters (Scyllaridae) - Northern Mariana Islands                    | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem  | Spiny lobsters (Panulirus spp.) - Guam                                       | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Mariana Archipelago Ecosystem  | Spiny lobsters (Panulirus spp.) - Northern Mariana Islands                   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Bigeye thresher - North Pacific  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Black marlin - Pacific   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Longfin mako - North Pacific   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Oceanic whitetip shark - Tropical Pacific                                    | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Pelagic thresher - North Pacific   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Pomfrets (Bramidae) - Western Pacific  | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Sailfish - Pacific   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Salmon shark - North Pacific   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Silky shark - Tropical Pacific   | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Snake mackerels (Gempylidae) - Pacific                                       | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Pelagic Fisheries of the Western<br>Pacific Region Ecosystem | Tropical Pacific Other Tuna Relatives Complex *                              | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Remote Island Areas Ecosystem                                | Pacific Island Remote Areas Coral Reef Ecosystem Multi-<br>species Complex * | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |

| Jurisdiction | FMP                                   | Stock  | Overfishing? (Is Fishing Mortality above Threshold?) | Overfished?<br>(Is Biomass<br>below<br>Threshold?) | Approaching<br>Overfished<br>Condition? | Management<br>Action<br>Required | Rebuilding<br>Program<br>Progress |
|--------------|---------------------------------------|--|--|--|---|----------------------------------|-----------------------------------|
| WPFMC        | Pacific Remote Island Areas Ecosystem | Pacific Remote Island Areas Black Precious Coral<br>Complex *            | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Remote Island Areas Ecosystem | Pacific Remote Island Areas Bottomfish Complex *                         | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Remote Island Areas Ecosystem | Pacific Remote Island Areas Crustacean Complex *                         | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |
| WPFMC        | Pacific Remote Island Areas Ecosystem | Pacific Remote Island Areas Exploratory Area Precious<br>Coral Complex * | Unknown  | Unknown  | Unknown                                 | NA                               | N/A                               |

| Jurisdiction   | Stock                                       | Footnote   |  |
|--|---|--|--|
| potato sponge, finger sponge, Myriastra spp., pink vase sponge, lavender rope sanemone, giant pink-tipped anemone, knobby anemone, Lebrunia spp. staghor coral; Annelid Worms: Sabellastarte spp. tube worms, magnificent duster, Chris fileclams, rough fileclam, Atlantic thorny oyster, Octopus spp. (except the Conreef hermit, nimble spray crab, Lysmata spp. peppermint shrimp, anemone shri arrow crabs, Periclimenes spp. cleaner shrimp, Gonodactylus spp., Lysiosquilla spp. Crinoids, Nemaster spp. Crinoids, Astropecten spp. sand stars, common comet si |   | Caribbean Aquarium Trade Species Complex contains the following potentially harvested species: Sponges: Erect rope sponge, chicken liver sponge, Cynachirella alloclada, potato sponge, finger sponge, Myriastra spp., pink vase sponge, lavender rope sponge, Spinosella policifera, S. vaginalis, Tethya crypta; Coelenterates: Pale anemone, corkscrew anemone, giant pink-tipped anemone, knobby anemone, Lebrunia spp. staghorn anemone, sun anemone, Zoanthus spp. sea mat, Diacosoma spp. false coral, Florida false coral; Annelid Worms: Sabellastarte spp. tube worms, magnificent duster, Christmas tree worm; Mollusks: Lettuce sea slug, netted olive, flamingo tongue, Lima spp. fileclams, rough fileclam, Atlantic thorny oyster, Octopus spp. (except the Common octopus, O. vulgaris); Arthropods: Snapping shrimp, Paguristes spp. hermit crabs, red reef hermit, nimble spray crab, Lysmata spp. peppermint shrimp, anemone shrimp, Mithrax spp. clinging crabs, banded clinging crabs, green clinging crabs, yellowline arrow crabs, Periclimenes spp. cleaner shrimp, Gonodactylus spp., Lysiosquilla spp., banded shrimp, golden shrimp; Echinoderms: Swimming crinoid, Davidaster spp. Crinoids, Nemaster spp. Crinoids, Astropecten spp. sand stars, common comet star, comet star, cushion sea star, biant basket star, Ophiocoma spp. brittlestars, Ophioderma spp. brittlestars, ruby brittlestar, long-spined urchin, Echinometra spp. purple urchin, pencil urchin, Lytechinus spp. pin cushion urchin, sea egg, Holothuria spp. sea cucumbers, Tunicates-Subphylum Urochordata. |  |
| CFMC   | Caribbean Angelfishes<br>Complex            | Caribbean Angelfishes Complex is part of the Caribbean Reef Fish FMU and is composed of queen, gray, and French angelfishes. There is no indicator species for this unit.  |  |
| CFMC   | Caribbean Aquarium Trade<br>Species Complex | Caribbean Aquarium Trade Species Complex contains the following species: Creole wrasse, yellowhead wrasse, yellowcheek wrasse, clown wrasse, bluehead wrasse, peppermint basslet, fairy basslet, yellowtail damselfish, dusky damselfish, bicolor damselfish, threespot damselfish, beaugregory, foureye butterflyfish, longsnout butterflyfish, spotfin butterflyfish, banded butterflyfish, lantern bass, orangeback bass, tobaccofish, harlequin bass, chalk bass, yellowhead jawfish, dusky jawfish, pearly razorfish, green razorfish, chain moray, green moray, goldentail moray, neon goby, rusty goby, jackknife-fish, spotted drum, blue chromis, sunshinefish, sergeant major, conchfish, flamefish, redspotted hawkfish, frogfish, peacock flounder, Atlantic spadefish, sharpnose puffer, cherubfish, porcupinefish, flying gurnard, glasseye snapper, butter hamlet, rock beauty, goldspotted eel, redlip blenny, high-hat, greater soapfish, sand diver, Caribbean tonguefish, Seahorses, Pipefishes, Batfish, and Scorpionfish.   |  |
| CFMC   | Caribbean Boxfishes Complex                 | Caribbean Boxfishes Complex is part of the Caribbean Reef Fish FMU and is composed of honeycombed and scrawled cowfishes; trunkfish, spotted trunkfish, and smooth trunkfish. There is no indicator species for this unit.   |  |
| CFMC   | Caribbean Goatfishes Complex                | Caribbean Goatfishes Complex is part of the Caribbean Reef Fish FMU and is composed of spotted and yellow goatfishes. There is no indicator species for this unit.   |  |
| CFMC   | Caribbean Grouper Unit 3                    | Caribbean Grouper Unit 3 is part of the Caribbean Reef Fish FMU and is composed of red hind, coney, rock hind, and graysby. There is no indicator species for this unit.   |  |
| CFMC   | Caribbean Grouper Unit 5                    | Caribbean Grouper Unit 5 is part of the Caribbean Reef Fish FMU and is composed of misty and yellowedge grouper. There is no indicator species for this unit.  |  |
| CFMC   | Caribbean Grunts Complex                    | Caribbean Grunts Complex is part of the Caribbean Reef Fish FMU and is composed of white grunt, tomtate, blue striped grunt, French grunt, margate, and porkfish. There is no indicator species for this unit.   |  |
| CFMC   | Caribbean Hogfish / Wrasses<br>Complex      | There is no indicator species for this unit.  Caribbean Hogfish/Wrasses Complex is part of the Caribbean Reef Fish FMU and is composed of hogfish, Spanish hogfish, and puddingwife. There is no indicator species for this unit.  |  |
| CFMC   | Caribbean Jacks Complex                     | Caribbean Jacks Complex is part of the Caribbean Reef Fish FMU and is composed of blue runner, greater amberjack, horseye, black, almaco, bar, and yellow jacks.  There is no indicator species for this unit.   |  |
| CFMC   | Caribbean Porgies Complex                   | Caribbean Porgies Complex is part of the Caribbean Reef Fish FMU and is composed of jolthead porgy, sea bream, sheepshead porgy, and pluma. There is no indicator species for this unit.   |  |
| CFMC   | Caribbean Snapper Unit 2                    | Caribbean Snapper Unit 2 is part of the Caribbean Reef Fish FMU and is composed of cardinal and Queen snapper. There is no indicator species for this unit.  |  |
| CFMC   | Caribbean Squirrelfishes<br>Complex         | Caribbean Squirrelfishes Complex is part of the Caribbean Reef Fish FMU and is composed of black bar soldierfish, longspine squirrelfish, bigeye (Priacanthus arenatus), and squirrelfish. There is no indicator species for this unit.  |  |
| CFMC   | Caribbean Surgeonfishes<br>Complex          | Caribbean Surgeonfish Complex is part of the Caribbean Reef Fish FMU and is composed of doctorfish, bluetang, and ocean surgeonfish. There is no indicator species for this unit.  |  |

| Jurisdiction Stock Footnote |   | Footnote  |  |  |  |
|-----------------------------|---|---|--|--|--|
| CFMC                        | Caribbean Tilefishes Complex  | Caribbean Tilefishes Complex is part of the Caribbean Reef Fish FMU and is composed of blackline and sand tilefishes. There is no indicator species for this unit.  |  |  |  |
| CFMC                        | Caribbean Triggerfishes and<br>Filefishes Complex   | Caribbean Triggerfishes and Filefishes Complex is part of the Caribbean Reef Fish FMU and is composed of ocean, queen, and Sargassum triggerfishes; scrawled and whitespotted filefishes; and black durgon. There is no indicator species for this unit.  |  |  |  |
| GMFMC                       | Black corals (Antipatharia) -<br>Gulf of Mexico   | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  |  |  |  |
| GMFMC                       | Fire corals (Milleporidae) -<br>Gulf of Mexico  | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  |  |  |  |
| GMFMC                       | Hydrocorals (Stylasteridae) -<br>Gulf of Mexico   | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  |  |  |  |
| GMFMC                       | Stony corals (Scleractinia) -<br>Gulf of Mexico   | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.  |  |  |  |
| GMFMC                       | Tilefish - Gulf of Mexico   | The most recent assessment for tilefish - Gulf of Mexico used overfished criteria that have been determined to be the Best Scientific Information Available (BSIA) the SSC, but have not yet been implemented in the fishery management plan. These criteria will be implemented in the next FMP amendment.   |  |  |  |
| HMS                         | Atlantic Pelagic Shark Complex  | In addition to Shortfin Mako Shark, Blue Shark, and Porbeagle Shark, the Pelagic Shark Complex also consists of Oceanic Whitetip Shark and Thresher Shark. This complex also consists of stocks that cannot be retained in recreational or commercial fisheries, which include Bigeye Thresher Shark, Bigeye Sixgill Shark, Longfin M Shark, Sevengill Shark, and Sixgill Shark.            |  |  |  |
| HMS                         | Scalloped hammerhead -<br>Atlantic  | This stock is part of the Large Coastal Shark Complex, but is assessed separately. On April 28, 2011, this stock was determined to be overfished and subject to overfishing. The Highly Migratory Species Division has 2 years to implement a rebuilding plan.  |  |  |  |
| NEFMC                       | Atlantic salmon - Gulf of<br>Maine  | Rebuilding of Atlantic salmon is being pursued under the Endangered Species Act. Atlantic salmon was listed as endangered under the ESA in December 2000.   |  |  |  |
| NEFMC                       | Atlantic wolffish - Gulf of<br>Maine / Georges Bank   | Because the life history of Atlantic wolffish is not well understood, there is considerable uncertainty in the evaluation of stock projections and a rebuilding period or rebuilding F for this species at this time.   |  |  |  |
| NPFMC                       | Arctic cod - Arctic<br>Management Area  | There is no commercial fishing for this stock, including Alaska state waters and international fishing, so fishing mortality is expected to be zero.  |  |  |  |
| NPFMC                       | Saffron cod - Arctic<br>Management Area   | There is no commercial fishing for this stock, including Alaska state waters and international fishing, so fishing mortality is expected to be zero.  |  |  |  |
| NPFMC                       | Snow crab - Arctic<br>Management Area   | There is no commercial fishing for this stock, including Alaska state waters and international fishing, so fishing mortality is expected to be zero.  |  |  |  |
| NPFMC                       | Bering Sea / Aleutian Islands<br>Octopus Complex  | The Octopus Complex consists of Giant Pacific Octopus, Flapjack Devilfish, Pelagic Octopus, Smoothskin Octopus, Octopus Benthoctopus oregonensis, Octopus Graneledone boreopacifica, and Octopus Bathypolypus arcticus.   |  |  |  |
| NPFMC                       | Bering Sea / Aleutian Islands<br>Other Flatfish Complex   | The Other Flatfish Complex consists of the following stocks: Arctic Flounder, Butter Sole, Curlfin Sole, Deepsea Sole, Dover Sole, English Sole, Longhead Dab, P Sanddab, Petrale Sole, Rex Sole, Roughscale Sole, Sakhalin Sole, Sand Sole, Slender Sole, and Starry Flounder. The overfishing determination is based on the OFL, is computed by using abundance estimates of the complex. |  |  |  |
| NPFMC                       | Bering Sea / Aleutian Islands Other Rockfish Complex  The Other Rockfish Complex consists of the following stocks: Dark Rockfish, Dusky Rockfish, Harlequin Rockfish, Redbanded Rockfish, R Rockfish, Shortspine Thornyhead, and Yelloweye Rockfish. The overfishing determination is based on the OFL, which is computed by using complex. |   |  |  |  |

| Jurisdiction | Footnote   |   |  |  |  |
|--------------|--|---|--|--|--|
| NPFMC        | Bering Sea / Aleutian Islands<br>Sculpin Complex | The Sculpin Complex consists of Antlered Sculpin, Arctic Staghorn Sculpin, Armorhead Sculpin, Banded Irish Lord, Bigmouth Sculpin, Blackfin Sculpin, Blacknose Sculpin, Broad Sculpin, Broadfin Sculpin, Butterfly Sculpin, Crescent-tail Sculpin, Crested Sculpin, Darkfin Sculpin, Eyeshade Sculpin, Flabby Sculpin, Fourhorn Sculpin, Great Sculpin, Grunt Sculpin, Leister Sculpin, Longfin Irish Lord, Longfin Sculpin, Northern Sculpin, Pacific Hookear Sculpin, Pacific Staghorn Sculpin, Purplegray Sculpin, Red Irish Lord, Ribbed Sculpin, Roughskin Sculpin, Roughspine Sculpin, Sailfin Sculpin, Scaled Sculpin, Scalybreasted Sculpin, Scissortail Sculpin, Slim Sculpin, Smoothcheek Sculpin, Spatulate Sculpin, Spectacled Sculpin, Spinyhead Sculpin, Sponge Sculpin, Tadpole Sculpin, Thorny Sculpin, Threaded Sculpin, Uncinate Sculpin, Warty Sculpin, Wide-eye Sculpin, and Yellow Irish Lord. |  |  |  |
| NPFMC        | Bering Sea / Aleutian Islands<br>Shark Complex   | The Shark Complex consists of Pacific Sleeper Shark, Salmon Shark, and Spiny Dogfish.   |  |  |  |
| NPFMC        | Bering Sea / Aleutian Islands<br>Skate Complex   | The Skate Complex consists of Alaska Skate, Aleutian Skate, Bering Skate, Big Skate, Butterfly Skate, Commander Skate, Deepsea Skate, Mud Skate, Okhotsk Skate, Roughshoulder Skate, Roughtail Skate, Whiteblotched Skate, and Whitebrow Skate. Alaska skate is assessed and is the indicator species for this complex.   |  |  |  |
| NPFMC        | Bering Sea / Aleutian Islands<br>Squid Complex   | The Squid Complex consists of the following stocks: Squid Belonella borealis, Squid Berryteuthis anonychus, Squid Berryteuthis magister, Squid Chiroteuthis calyx, Squid Cranchia scabra, Squid Eogonatus tinro, Squid Galiteuthis phyllura, Squid Gonatopsis borealis, Squid Gonatopsis makko, Squid Gonatus berryi, Squid Gonatus amtschaticus, Squid Gonatus madokai, Squid Gonatus onyx, Squid Gonatus pyros, Squid Histioteuthis hoylei, Squid Moroteuthis robusta, and Squid Rossia pacifica. The overfishing determination is based on the OFL, which is equal to average historical catch.  |  |  |  |
| NPFMC        | Gulf of Alaska Octopus<br>Complex                | ne Octopus Complex consists of Flapjack Devilfish, Giant Pacific Octopus, Pelagic Octopus, Red Octopus, Smoothskin Octopus, Vampire Squid, and North Pageye Octopus. There is no OFL specified for this complex. The TAC is set at an amount less than or equal to 5 percent of the combined TACs for the remainded groundfish fishery.   |  |  |  |
| NPFMC        | Gulf of Alaska Other Rockfish<br>Complex         | The other rockfish complex is a new assessment in 2011 and a new management category in 2012. It consists of the former other slope rockfish complex and the non-dusky species from the former pelagic shelf rockfish complex (yelloweye and widow rockfish). The new Other Rockfish Complex consists of the following stocks: Blackgill Rockfish, Bocaccio, Chilipepper, Darkblotched Rockfish, Greenstriped Rockfish, Harlequin Rockfish, Northern Rockfish (Eastern GOA only), Pygmy Rockfish, Redbanded Rockfish, Redstripe Rockfish, Sharpchin Rockfish, Silvergray Rockfish, Splitnose Rockfish, Stripetail Rockfish, Vermilion Rockfish, Widow Rockfish, and Yellowmouth Rockfish. The former "other slope rockfish" assemblage was not subjected to overfishing in 2010.  |  |  |  |
| NPFMC        | Gulf of Alaska Sculpin<br>Complex                | The Sculpin Complex consists of Antlered Sculpin, Armorhead Sculpin, Bigmouth Sculpin, Blackfin Sculpin, Blob Sculpin, Brightbelly Sculpin, Brown Irish Lord, Buffalo Sculpin, Crested Sculpin, Darkfin Sculpin, Dusky Sculpin, Eyeshade Sculpin, Fourhorn Sculpin, Frog Sculpin, Frogmouth Sculpin, Great Sculpin, Grunt Sculpin, Longfin Sculpin, Northern Sculpin, Pacific Staghorn Sculpin, Plain Sculpin, Red Irish Lord, Ribbed Sculpin, Roughspine Sculpin, Roughskin Sculpin, Sailfin Sculpin, Scissortail Sculpin, Silverspotted Sculpin, Slim Sculpin, Smoothcheek Sculpin, Smoothhead Sculpin, Spatulate Sculpin, Spectacled Sculpin, Spinyhead Sculpin, Sponge Sculpin, Sculpin, Thorny Sculpin, Threaded Sculpin, Threadfin Sculpin, Warty Sculpin, Yellow Irish Lord, Sculpin Artediellus sp., and Sculpin Icelus euryops.  |  |  |  |
| NPFMC        | Gulf of Alaska Shallow Water<br>Flatfish Complex | The Shallow Water Flatfish Complex consists of the following stocks: Alaska Plaice, Butter Sole, C-O Sole, Curlfin Sole, English Sole, Northern Rock Sole, Pacific Sanddab, Petrale Sole, Sand Sole, Slender Sole, Southern Rock Sole, Speckled Sanddab, Starry Flounder, and Yellowfin Sole. The overfishing determination is based on the OFL, which is computed by using abundance estimates of the complex. A single, assemblage-wide OFL is specified, but overfishing was not defined for the "other" shallow-water flatfish stocks per se in 2010, because they are part of the overall shallow-water flatfish assemblage. SAFE report indicates that the shallow water flatfish complex was not subjected to overfishing in 2010 and that neither of the indicator species (northern and southern rock sole) is overfished or approaching a condition of being overfished in 2011.                          |  |  |  |
| NPFMC        | Gulf of Alaska Shark Complex                     | The Shark Complex consists of Pacific Sleeper Shark, Salmon Shark, and Spiny Dogfish.   |  |  |  |

| Jurisdiction | Footnote   |  |  |  |  |
|--------------|--|--|--|--|--|
| NPFMC        | Gulf of Alaska Skate Complex   | The Skate Complex consists of the following stocks: Alaska Skate, Aleutian Skate, Bering Skate, Deepsea Skate, Roughshoulder Skate, Routhtail Skate, and Whiteblotched Skate. The overfishing determination is based on the combined abundance estimates of these species.   |  |  |  |
| NPFMC        | Gulf of Alaska Squid Complex   | The Squid Complex consists of Squid Berryteuthis anonychus, Squid Berryteuthis magister, Squid Chiroteuthis calyx, Squid Cranchia scabra, Squid Eogonatus tinro, Squid Galiteuthis phyllura, Squid Gonatopsis makko, Squid Gonatus berryi, Squid Gonatus kamtschaticus, Squid Gonatus madokai, Squid Gonatus onyx, Squid Gonatus pyros, Squid Histioteuthis hoylei, Squid Loligo opalescens, Squid Moroteuthis robusta, Squid Octopoteuthis deletron, and Squid Onychoteuthis borealijaponicus. Managed as part of "other species" complex through 2010 (beginning in 2011, squids are managed as a new assemblage). Best F, Flimit, FMSY, and Ftarget represent "other species" complex. SAFE report indicates that the "other species" complex was not subjected to overfishing in 2010. Data are insufficient to determine whether the squid assemblage is overfished or approaching a condition of being overfished. |  |  |  |
| NPFMC        | Alaska Coho Salmon<br>Assemblage   | The Alaska Coho Salmon Assemblage consists of coho, sockeye, pink, and chum salmon throughout southeast Alaska. There are 4 indicator stocks of coho salmon thare used to determine the status of the assemblage; these indicator stocks are Auke Creek, Berners River, Ford Arm Lake, and Hugh Smith Lake.  |  |  |  |
| PFMC         | Northern Pacific Coast Minor<br>Nearshore Rockfish Complex                 | The Northern Pacific Coast Minor Nearshore Rockfish Complex contains the following stocks: black-and-yellow, blue, brown, calico, China copper, gopher, grass, kelp, olive, quillback, and treefish.   |  |  |  |
| PFMC         | Northern Pacific Coast Minor<br>Shelf Rockfish Complex                     | The Northern Pacific Coast Minor Shelf Rockfish Complex contains the following stocks: bronzespotted, chameleon, chilipepper, dusky, dwarf-red, flag, freckled, greenblotched, greenspotted, greenstriped, halfbanded, harlequin, honeycomb, Mexican, pink, pinkrose, pygmy, redstripe, rosethorn, rosy, silvergray, speckled, squarespot, starry, stripetail, swordspine, tiger, and vermilion rockfish; and bocaccio and cowcod.   |  |  |  |
| PFMC         | Northern Pacific Coast Minor<br>Slope Rockfish Complex                     | The Northern Pacific Coast Minor Slope Rockfish Complex contains the following stocks: Aurora, bank, blackgill, redbanded, rougheye, sharpchin, shortraker, splitnose, and yellowmouth rockfish.   |  |  |  |
| PFMC         | Pacific Coast Other Flatfish<br>Complex                                    | The Pacific Coast Other Flatfish Complex contains the following stocks: Butter, curlfin, flathead, rex, rock, and sand sole; and Pacific sanddab.  |  |  |  |
| PFMC         | Pacific Coast Other<br>Groundfish Complex                                  | The Pacific Coast Other Groundfish Complex contains the following stocks: Big skate, cabezon, California skate, finescale codling, kelp greenling, leopard shark, Pacific rattail, ratfish, soupfin shark, and spiny dogfish.  |  |  |  |
| PFMC         | Southern Pacific Coast Minor<br>Nearshore Rockfish Complex                 | rattail, ratfish, soupfin shark, and spiny dogfish.  The Southern Pacific Coast Minor Nearshore Rockfish Complex contains the following stocks: Black-and-yellow, China, gopher, grass, kelp, blue, brown, calico, coppolive, and quillback rockfish; and treefish.  |  |  |  |
| PFMC         | Southern Pacific Coast Minor<br>Shelf Rockfish Complex                     | The Southern Pacific Coast Minor Shelf Rockfish Complex contains the following stocks: Bronzespotted, chameleon, dusky, dwarf-red, flag, freckled, greenblotch greenspotted, greenstriped, halfbanded, harlequin, honeycomb, Mexican, pink, pinkrose, pygmy, redstripe, rosethorn, rosy, silvergray, speckled, squarespot, starry, stripetail, swordspine, tiger, vermilion, and yellowtail rockfish.  |  |  |  |
| PFMC         | Southern Pacific Coast Minor<br>Slope Rockfish Complex                     | The Southern Pacific Coast Minor Slope Rockfish Complex contains the following stocks: Aurora, bank, blackgill, redbanded, rougheye, sharpchin, shortraker, and yellowmouth rockfish; and Pacific ocean perch.   |  |  |  |
| PFMC         | Coho salmon - Oregon<br>Production Index Area:<br>Columbia (natural)       | Oregon Coastal Natural (OCN) coho are managed subject to the provisions of Amendment 13 to the Salmon FMP. The southern stock complex is listed as a threatenes species under the ESA as part of the Southern Oregon / Northern California Coasts Coho ESU (May 6, 1997), and the northern components, Oregon Coast coho, are also listed as threatened. The OCN stocks have met their management objectives in recent years.  |  |  |  |
| PFMC         | Coho salmon - Oregon<br>Production Index Area:<br>Oregon Coastal (natural) | Oregon Coastal Natural (OCN) coho are managed subject to the provisions of Amendment 13 to the Salmon FMP. The southern stock complex is listed as a threatened species under the ESA as part of the Southern Oregon / Northern California Coasts Coho ESU (May 6, 1997), and the northern components, Oregon Coast coho, are also listed as threatened. The OCN stocks have met their management objectives in recent years.  |  |  |  |

| Jurisdiction | Stock   | Footnote   |  |  |  |  |
|--------------|---|--|--|--|--|--|
| PFMC         | Pink salmon - Puget Sound<br>(odd-numbered years)               | The PFMC manages these fisheries consistent with provisions of the Pacific Salmon Treaty. These stocks originate from either U.S. or Canadian waters and are mana as mixed stock fisheries.  |  |  |  |  |
| SAFMC        | Black corals (Antipatharia) -<br>Southern Atlantic Coast        | Overfishing determination is pre-SFA. Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.   |  |  |  |  |
| SAFMC        | Fire corals (Milleporidae) -<br>Southern Atlantic Coast         | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.   |  |  |  |  |
| SAFMC        | Hydrocorals (Stylasteridae) -<br>Southern Atlantic Coast        | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.   |  |  |  |  |
| SAFMC        | Soft corals (Octocorallia) -<br>Southern Atlantic Coast         | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.   |  |  |  |  |
| SAFMC        | Stony corals (Scleractinia) -<br>Southern Atlantic Coast        | Fishery in the EEZ and state waters is closed; therefore, fishing mortality is very low.   |  |  |  |  |
| SAFMC        | Sargassum - Southern Atlantic<br>Coast                          | On July 11, 2003, NMFS partially approved the FMP for this stock. Although one of the disapproved provisions included the MFMT, a component of the overfishing efinition, an examination of the rate of harvest (currently zero), relative to the approved MSY level (100,000 mt), indicates that overfishing is not occurring. In addition of directed fishery for this stock currently exists. This species has the capacity to increase its biomass through vegetative growth by as much as 10 percent per day, the oubling its biomass every two weeks. Therefore, it is unlikely that this stock is overfished. |  |  |  |  |
| WPFMC        | American Samoa Black Coral<br>Complex                           | The American Samoa Black Precious Coral Complex contains Antipathes dichotoma, Antipathes grandis and Antipathes ulex.   |  |  |  |  |
| WPFMC        | American Samoa Coral Reef<br>Ecosystem Multi-species<br>Complex | American Samoa Coral Reef Ecosystem Multi-species Complex contains 104 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa"   |  |  |  |  |
| WPFMC        | American Samoa Exploratory<br>Area Coral Complex                | The American Samoa Exploratory Area Precious Coral Complex contains pink coral (Corallium spp.), gold coral (Gerardia spp. and Narella spp.) and bamboo coral (Acanella spp., Calyptropora spp. and Lepidis olapa).  |  |  |  |  |
| WPFMC        | Spiny lobsters (Panulirus spp.) -<br>American Samoa             | - Spiny lobsters include two species, Panulirus marginatus and Panulirus penicillatus.   |  |  |  |  |
| WPFMC        | 180 Fathom Bank Coral<br>Complex                                | The 180 Fathom Bank Coral Complex contains pink coral (Corallium spp.), and bamboo coral (Acanella spp., Calyptropora spp. and Lepidis olapa).   |  |  |  |  |
| WPFMC        | Au'Au Bed Black Coral<br>Complex                                | The Au'au Bed Black Coral Complex contains Antipathes grandis, Antipathes griggi (formerly known as.Antipathes dichotoma), and Antipathes ulex.  |  |  |  |  |
| WPFMC        | Brooks Bank Coral Complex                                       | The Brooks Bank Precious Coral Complex contains pink coral (Corallium spp.), and bamboo coral (Acanella spp., Calyptropora spp. and Lepidis olapa).  |  |  |  |  |
| WPFMC        | Hawaiian Archipelago<br>Exploratory Area Coral<br>Complex       | The Hawaii Archipelago Exploratory Area Precious Coral Complex contains pink coral (Corallium spp.), gold coral (Gerardia spp. and Narella spp.) and bamboo cora (Acanella spp., Calyptropora spp. and Lepidis olapa).   |  |  |  |  |
| WPFMC        | Kaena Point Bed Coral<br>Complex                                | The Kaena Point Bed Coral Complex contains pink coral (Corallium spp.), and bamboo coral (Acanella spp., Calyptropora spp. and Lepidis olapa).   |  |  |  |  |
| WPFMC        | Keahole Bed Coral Complex                                       | The Keahole Bed Precious Coral Complex contains pink coral (Corallium spp.), and bamboo coral (Acanella spp., Calyptropora spp. and Lepidis olapa).  |  |  |  |  |

| Jurisdiction | Stock  | Footnote   |  |  |  |
|--------------|--|--|--|--|--|
| WPFMC        | Main Hawaiian Islands Non-<br>Deep 7 Bottomfish Multi-<br>species Complex  | The Main Hawaiian Islands Non-Deep 7 Bottomfish Multi-species Complex contains: uku, white ulua, black ulua, taape, yellowtail kalekale, butaguchi, and kahala.  |  |  |  |
| WPFMC        | Makapu'u Bed Precious Corals<br>Multi-species Complex  | Moratorium on gold coral (Gerardia spp) through June 30, 2013 to prevent overfishing. The coral bed contains up to 12 taxa including Corallium secundum, Corallium regale, Corallium laauense, Gerardia spp., Callogorgia gilberti, Narella spp., Calyptrophora spp., Lepidisis olapa, Acanella spp., Antipathes grandis, Antipathes griggi, and Myriopathes ulex. There has been virtually no fishing for this stock since 2001 and fishing mortality has been virtually zero since then. |  |  |  |
| WPFMC        | Northwest Hawaiian Islands<br>Bottomfish Multi-species<br>Complex  | The Northwest Hawaiian Islands Bottomfish Multi-species Complex contains onaga, ehu, gindai, kalekale, opakapaka, lehi, hapuupuu, uku, white ulua, black ulua, taape yellowtail kalekale, butaguchi, and kahala.   |  |  |  |
| WPFMC        | Northwestern Hawaiian Islands<br>Crustacean Complex  | s The Northwestern Hawaiian Islands Crustacean Complex include Panulirus marginatus (spiny lobster), Panulirus penicillatus (spiny lobster), Family Scyllaridae (slipper lobster), Ranina ranina (Kona crab), and Heterocarpus spp. (deepwater shrimp). Harvest quota for lobster is set at zero for the commercial lobster fishery in Northwes Hawaiian Islands Marine National Monument.   |  |  |  |
| WPFMC        | Spiny lobsters (Panulirus spp.) -<br>Main Hawaiian Islands   | Spiny lobsters include two species, Panulirus marginatus and Panulirus penicillatus.   |  |  |  |
| WPFMC        | Guam Black Coral Complex   | The Guam Black Precious Coral Complex contains Antipathes dichotoma, Antipathes grandis and Antipathes ulex.   |  |  |  |
| WPFMC        | Guam Coral Reef Ecosystem<br>Multi-species Complex   | The Guam Coral Reef Ecosystem Multi-species Complex contains 117 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa."  |  |  |  |
| WPFMC        | Guam Exploratory Area Coral<br>Complex   | The Guam Exploratory Area Precious Coral Complex contains pink coral (Corallium spp.), gold coral (Gerardia spp. and Narella spp.) and bamboo coral (Acanella spp. Calyptropora spp. and Lepidis olapa).   |  |  |  |
| WPFMC        | Northern Mariana Islands<br>Black Coral Complex  | The Northern Mariana Islands Black Precious Coral Complex contains Antipathes dichotoma, Antipathes grandis and Antipathes ulex.   |  |  |  |
| WPFMC        | Northern Mariana Islands<br>Bottomfish Multi-species<br>Complex  | Northern Mariana Islands Bottomfish Multi-species Complex contains 16 species. Stock assessments are currently made for the multi-species complex. MSY is estimated for deep-water complex only, no MSY for the shallow-water complex.   |  |  |  |
| WPFMC        | Northern Mariana Islands<br>Coral Reef Ecosystem Multi-<br>species Complex   | The Northern Mariana Islands Coral Reef Ecosystem Multi-species Complex contains 117 "currently harvested coral reef taxa" and innumerable "potentially harvested coral reef taxa."  |  |  |  |
| WPFMC        | Northern Mariana Islands<br>Exploratory Area Coral<br>Complex  | The Northern Mariana Islands Exploratory Area Precious Coral Complex contains pink coral (Corallium spp.), gold coral (Gerardia spp. and Narella spp.) and bamboo coral (Acanella spp., Calyptropora spp. and Lepidis olapa).  |  |  |  |
| WPFMC        | Tropical Pacific Other Tuna<br>Relatives Complex   | The management unit includes Auxis spp. (frigate mackerels), Allothunnus spp. (slender tunas), and Scomber spp. (mackerels).   |  |  |  |
| WPFMC        | Western Pacific Squid Complex  | ex The Squid Complex contains Ommastrephes bartamii (neon flying squid), Thysanoteuthis rhombus (diamondback squid), and Sthenoteuthis oualaniensis (purple flying squid.)   |  |  |  |
| WPFMC        | Pacific Island Remote Areas Coral Reef Ecosystem Multi- species Complex  The Pacific Island Remote Areas Coral Reef Ecosystem Multi-species Complex contains 54 "currently harvested coral reef taxa" and innumerable " coral Reef Ecosystem Multi- species Complex  The Pacific Island Remote Areas Coral Reef Ecosystem Multi-species Complex contains 54 "currently harvested coral reef taxa" and innumerable " coral reef taxa." The Pacific remote island areas (PRIA) are U.S. island possessions in the Pacific Ocean that include Palmyra Atoll, Kingman Reef, Island, Howland Island, Johnston Atoll, Wake Island, and Midway Atoll. All reefs of the PRIA except Wake Island, which is under the jurisdiction Defense, are National Wildlife Refuges. Fishing for coral reef-associated species is prohibited in all these areas except Palmyra Atoll, Johnston Atoll Midway Atoll. |  |  |  |  |

| Jurisdiction | Stock   | Footnote   |  |
|--------------|---|--|--|
|              | Pacific Remote Island Areas<br>Black Precious Coral Complex               | The Pacific Remote Islands Areas Black Precious Coral Complex contains Antipathes dichotoma, Antipathes grandis and Antipathes ulex.   |  |
|              | Pacific Remote Island Areas<br>Bottomfish Complex                         | The Pacific Remote Island Areas Bottomfish Complex contains an assemblage of 12 species, including jacks, snappers, emperors and groupers.   |  |
| WPFMC        | Pacific Remote Island Areas<br>Crustacean Complex                         | The Pacific Remote Island Areas Crustaceans include Panulirus marginatus (spiny lobster), Panulirus penicillatus (spiny lobster), Family Scyllaridae (slipper lobster), Ranina ranina (Kona crab), and Heterocarpus spp. (deepwater shrimp). |  |
|              | Pacific Remote Island Areas<br>Exploratory Area Precious<br>Coral Complex | The Pacific Remote Island Areas Exploratory Area Precious Coral Complex contains pink coral (Corallium spp.), gold coral (Gerardia spp. and Narella spp.) and b coral (Acanella spp., Calyptropora spp. and Lepidis olapa).                  |  |

<sup>\*\*</sup> The Salmon FMP contains two exceptions to the application of overfishing and overfished criteria and subsequent Council actions for stocks or stock complexes with conservation objectives: (1) hatchery stocks, and (2) stocks listed under the ESA

## National Marine Fisheries Service - 2nd Quarter 2013 Update Tables E-G. Other Stocks

#### **Table E. Ecosystem Component Species**

| Jurisdiction   | FMP   | Stock   | Species contained in Ecosystem Component Group  |   |
|--|---|---|---|---|
| PFMC   | Coastal Pelagic Species   | Ecosystem Component Species   | Pacific herring and jacksmelt   |   |
| PFMC   | U.S. West Coast Fisheries for Highly<br>Migratory Species   | Pacific HMS Ecosystem Component Species<br>Complex  | Bigeye thresher and pelagic thresher  |   |
| NPFMC  | Fish Resources of the Arctic<br>Management Area   | Arctic Management Area Ecosystem<br>Component Species   | Alaska plaice, Alaska lyre crab, Arctic staghorn sculpin, Bering flounder, blue king crab, Canadian eelpout, capelin, eelpouts, Greenland halibut, marbled eelpout, notched brittlestar, Pacific cod, Pacific herring, pricklebacks, red king crab, sculpins, snailfishes, Walleye pollock, warty sculpin, and yellowfin sole.  |   |
| NPFMC  | Scallop Fishery off Alaska  | Alaska Scallop Ecosystem Component<br>Species Complex   | Bering scallop, giant rock scallop, re  | ddish scallop, spiny scallop, and white scallop   |
| SAFMC  | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Bank sea bass - Southern Atlantic Coast   | Not applicable; single species.   |   |
| SAFMC  | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Cottonwick - Southern Atlantic Coast  | Not applicable; single species.   |   |
| SAFMC  | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Longspine porgy - Southern Atlantic Coast   | Not applicable; single species.   |   |
| SAFMC  | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Ocean triggerfish - Southern Atlantic Coast   | Not applicable; single species.   |   |
| SAFMC  | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Rock sea bass - Southern Atlantic Coast   | Not applicable; single species.   |   |
| SAFMC  | Snapper-Grouper Fishery of the<br>South Atlantic Region   | Schoolmaster - Southern Atlantic Coast  | Not applicable; single species.   |   |
|  | Table F. Data Collection Only Species   |   |   |   |
| Jurisdiction   | FMP   | Stock   |   | Species contained in Data Collection Only Complex |
| CFMC   | Corals and Reef Associated Plants<br>and Invertebrates of Puerto Rico<br>and the United States Virgin Islands | Caribbean Corals and Reef Associated Plants<br>and Invertebrates Data Collection Species<br>Complex | The Caribbean Corals and Reef Associated Plants and Invertebrates Data Collection Species Complex contains fire corals, rose lace corals, encrusting gorgonian, deepwater sea fan, corky sea finger, Carijoa riisei, Telesto spp., sea whips, Venus sea fan, wide-mesh sea fan, common sea fan, sea plme, P. albatrossae, slimy sea plume, bipinnate plume, P. rigida, angular sea whip, yellow sea whip, warty sea rod, E. clavigera, doughnut sea rod, E. knighti, E. laciniata, E. lacispica, swollen-knob, shelf-knob sea rod, E. tonneforti, Muricea atlantica, orange spiny rod, delicate spiny rod, spiny sea fan, long spine sea fan, Muriceopsis spp., rough sea plume, M. sulphurea, bent sea rod, black sea rod, slit-pore sea rod, P. fusifera, P. grandiflora, P. grisea, giant slit-pore, Pseudoplexaura crucis, P. glagellosa, porous sea rod, P. wagenaari, staghorn coral, elkhorn coral, fused staghorn, lettuce leaf coral, fragile saucer, Lamarck's sheet, thin leaf lettuce, sunray lettuce, blushing star, flower coral, cup coral, tube coral, boulder coral, knobby brain coral, grooved brain, symmetrical brain, golfball coral, rose coral, Tortugas rose coral, boulder star coral, great star coral, smooth star coral, pillar coral, pancake star, elliptical star, maze coral, rough star coral, sinuous cactus, large flower coral, thin fungus coral, fat fungus coral, grooved fungus, fungus coral, artichoke coral, solitary disk, ivory bush coral, ten-ray star coral, yellow pencil, mustard hill coral, blue crust coral, small finger coral, finger coral, dwarf cup coral, hidden cup coral, lesser starlet, massive starlet, bushy black coral, wire coral, shoal grass, sea vines, widgeon grass, manatee grass, and turtle grass. |   |
| HMS  | Consolidated Atlantic Highly<br>Migratory Species   | Atlantic Deepwater Shark Data Collection<br>Species Complex   | Arrowhead dogfish, Bahamas sawshark, blotched catshark, bramble shark, broadband lanternshark, broadgill catshark, Caribbean lanternshark, chain dogfish, cookiecutter shark, Cuban dogfish, deepwater catshark, dwarf catshark, Florida smoothhound, fringefin lanternshark, great lanternshark, green lanternshark, Greenland shark, gulper shark, Iceland catshark, kitefin shark, largetooth cookiecutter shark, lined lanternshark, little gulper shark, marbled catshark, needle dogfish, Portuguese shark, pygmy shark, roughskin dogfish, shortspine dogfish, smallfin catshark, smallmouth velvet dogfish, smooth dogfish, and smooth lanternshark.  |   |
| WPFMC  | Pacific Pelagic Fisheries of the<br>Western Pacific Region Ecosystem  | Western Pacific Squid Complex   | Neon flying squid, diamondback squid, and purple flying squid   |   |
| Table G. Stocks managed under an International Agreement |   |   |   |   |
| Jurisdiction   | FMP   | Stock   | Overfishing? (Is Fishing Mortality above Threshold?)  | Overfished? (Is Biomass below Threshold?)         |
| IPHC   | Species Managed Under<br>International Agreement - IPHC   | Pacific halibut - Pacific Coast / Alaska  | Undefined   | No  |
| <del></del>  | 1   | 1   |   |   |