

Request for Proposals

Vessel Needed for Modified Circle Hook Study in the Pacific Halibut Longline Fishery – IPHC Regulatory Area 2A



Actual issue date: 06 April 2022

Schedule/Instruction/ Provision/Clauses

DEADLINE FOR PROPOSALS: 25 April 2022

Table of Contents

Section 1: PROPOSED SCHEDULE 1

Section 2: STATEMENT OF WORK 2

2.1. GENERAL..... 2

2.2. PROJECT OBJECTIVE 2

2.3. PROJECT DESCRIPTION..... 2

2.4. VESSEL REQUIREMENTS 4

2.5. CREW REQUIREMENTS 5

2.6. SCIENTIFIC CREW 6

2.7. OPERATING PROCEDURES 6

2.8. CONTRACTOR RESPONSIBILITIES 7

2.9. COVID-19 & VESSEL SAFETY PROTOCOL..... 7

2.10. POST-AWARD AND POST-PROJECT MEETINGS 8

2.11. EXECUTION OF CONTRACT 9

Section 3: INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFEROR’S..... 10

3.1. DEFINITIONS..... 10

3.2. QUESTIONS 10

3.3. AMENDMENTS TO SOLICITATIONS 10

3.4. SUBMISSION, MODIFICATION, REVISION, AND WITHDRAWL OF PROPOSALS. 10

3.5. OFFER EXPIRATION DATE 12

3.6. RESTRICTIONS ON DISCLOSURE AND USE OF INFORMATION 12

3.7. CONTRACT AWARD 13

3.8. PROPOSAL EVALUATION CRITERIA..... 14

3.9. PROPOSAL SELECTION PROCEDURE..... 15

Section 4: SUPPLIES OR SERVICES AND PRICE/COSTS 16

Section 5: ATTACHMENTS..... 17

5.1. BID PROPOSAL WORKSHEET: VESSEL CHARACTERISTICS 17

5.2. CAPTAIN/CREW MEMBERS FISHING EXPERIENCE..... 19

5.3. SAFETY EQUIPMENT AND TRAINING 19

5.4. VESSEL AVAILABILITY 20

5.5. IDEMNITY AND INSURANCE 21

Section 1: PROPOSED SCHEDULE

**Vessel Needed for Modified Circle Hook Study in the Pacific Halibut Longline Fishery –
IPHC Regulatory Area 2A**

06 April 2022 Requests for Proposals (RFP) distributed

18 April 2022 Deadline for written questions on RFP

Any questions should be directed to:

Mark Lomeli

Pacific States Marine Fisheries Commission

Email: mlomeli@psmfc.org

19 April 2022 PSMFC answers to written questions posted on website:

<http://www.psmfc.org/procurements/blog>

25 April 2022 Deadline for proposals

One (1) original to:

Michael Arredondo

Pacific States Marine Fisheries Commission

205 SE Spokane Street, Suite 100

Portland, OR 97202

Email: marredondo@psmfc.org

Phone: (503) 595-3100

Fax: (503) 595-3444

29 April 2022 Select Contractor

01 June to 30 Sept. 2022 Timeline to complete research project

Section 2: STATEMENT OF WORK

DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

The contractor shall furnish the necessary crew, material, equipment, services and facilities to perform the following Statement of Work/Specifications. For a description of the terms used within this Statement of Work, please consult the Definitions (Section 3.1).

2.1. GENERAL

2.1.1. The Pacific States Marine Fisheries Commission (PSMFC) intends to charter one vessel for up to 8 sample days (depending on charter rate) to assist in a study testing modified circle hooks to reduce yelloweye rockfish bycatch in the West Coast directed Pacific halibut longline fishery (International Pacific Halibut Commission [IPHC] Regulatory Area 2A). The timeline to complete this work is between 01 June and 30 September 2022. PSMFC will be responsible for designing the project and providing all scientific equipment needed for the project. The Contractor agrees to furnish a vessel, crew, tori lines, 8 skates (each 1,800 feet in total length and without gangions attached), and a sufficient number of buoys, and anchors for the 8 skates. PSMFC will supply the gangions (snap gear design), hooks to be tested, bait (chum salmon or equivalent), and all scientific equipment needed for the study. The captain and crew must be available during all scientific operations. To ensure full use of each sample day, the captain and crew should make any necessary transit arrangements to begin fishing operations at the start of each sample day. All fishing will occur during daylight hours.

2.2. PROJECT OBJECTIVE

2.2.1. Test if circle hook modifications and/or increased hook size can reduce yelloweye rockfish bycatch in the Pacific halibut longline fishery (IPHC Regulatory Area 2A)

2.3. PROJECT DESCRIPTION

2.3.1. The timeline to complete this work is between 01 June to 30 September 2022. This project will occur in IPHC Regulatory Area 2A in areas where Pacific halibut and yelloweye rockfish co-occur. The success of this project depends upon the contractor's knowledge of fishing grounds where considerable interactions between Pacific halibut and yelloweye rockfish occurs.

2.3.2. This study will conduct a catch comparison analysis to determine if changing from unmodified to modified circle hooks with an appendage, and/or hook size, affects the catch of Pacific halibut and yelloweye rockfish. Circle hooks in 16/0 and 18/0 will be examined. The appendages (app) to be tested consist of stainless steel wire 0.12" in diameter welded to the hook shank near the eye that extend outward 3" in length at one of two angles: 45° or 90° (Figure 1). Six hook types will be fished in a predetermined random pattern (e.g., 16/0 control, 18/0 app-45°, 16/0 app-90°, 18/0 control, 16/0 app-45°, 18/0 app-90°). Per each skate fished, 96 hooks (16 hooks of

each hook type) will be used. The hooks will be spaced ~18' apart along the length of each skate. Two to three sets consisting of 3 skates combined will be fished per fishing day. The soak duration for each set will be ~5 hours. Our desired sampling protocol is to fish between 40-45 skates (e.g., 3,840-4,320 hooks) during the sea trials. Color-coded markings will be affixed to each gangion near the snap gear to uniquely denote each of the six hook types. Upon retrieval, the status (bait, skin, empty, species of fish) and treatment type of each hook will be recorded. All species caught per hook type will be measured and all yelloweye rockfish and Pacific halibut will be measured and weighed to calculate catch per unit effort. Data on hooking location (e.g., mouth, throat, gut) will be collected to understand how Pacific halibut and yelloweye rockfish attack the bait and are captured by the different hook types and how that potentially may relate to post-release mortality. To determine if there is a temporal component in the catch of Pacific halibut and/or yelloweye rockfish, Lindgren-Pitman hook timers will be placed on a subset of gangions. On some sets, we will place compact underwater video camera systems (e.g., GoPro camera in an aluminum housing outfitted with an LED light source, three camera systems total) along the groundline near gangions to observe the behavior of fish as they interact with the modified and unmodified hooks.



Figure. 1. Images of 16/0 (bottom row) and 18/0 hooks (top row) with 90° appendage (left), 45° appendage (middle), and no appendage (right).

2.3.3. It is anticipated that 7 charter days will be needed to reach our project objective of fishing 40-45 skates during day light hours. However, additional days will occur for mobilization and demobilization. Precise cruise dates will be somewhat flexible

given weather, vessel sampling logistics, and personnel constraints. One day will be necessary for each mobilization and demobilization day.

- 2.3.4. This research cruise will terminate when, as determined jointly by the vessel captain and chief scientist, either: (1) the scientific objectives of the cruise have been met (e.g., fishing between 40-45 skates during day light hours), (2) available funds have been exhausted, (3) due to equipment failure, inclement weather, or other cause it appears that the scientific objectives cannot be met within a reasonable time frame, or (4) the limit of compensable sampling days has been reached. The chief scientist, in consultation with the contractor, will determine the vessels sampling schedule.
- 2.3.5. If the project is terminated before the limit of compensable sampling days has been reached, an additional cruise may be scheduled at the discretion of PSMFC, at a time determined jointly by PSMFC and the contractor.
- 2.3.6. For terms of this agreement, only days meeting the definition of “sample days” as defined in Section 3.1, are compensable as sample days. If, during a cruise, inclement weather, vessel equipment failure, or other development makes it impossible or unwise to continue sampling operations, the contractor and PSMFC may elect to terminate the cruise and return to port. Alternatively, PSMFC and the contractor may jointly elect to suspend sampling operations and wait for conditions to improve. Time loss due to vessel equipment breakdown or time spent at the dock, such as waiting for the tide, supplies or crew, is not compensable under agreement.

2.4. VESSEL REQUIREMENTS

- 2.4.1. The vessel must be at least 50 feet in registered length and have experience operating commercial longline gear. The vessel must be seaworthy, current on all USCG requirements, and capable of longlining for Pacific halibut in depths upwards to 200 fathoms bottom depth.
- 2.4.2. Auto-baiting machines are prohibited on this project.
- 2.4.3. The vessel must have sufficient open deck area to allow space for fish sampling equipment (e.g., baskets, scales, sampling table, measuring boards, etc.) and processing the landed catches.
- 2.4.4. PSMFC will reimburse the contractor for all fuel costs and any moorage fees accrued during the work. Receipts must be provided for reimbursement. All Pacific halibut caught will be released with minimal injury after processing, and all rockfishes caught will be released using descending devices to minimize mortality. No sale of fish will occur during this study.
- 2.4.5. The vessel must have clean and sanitary living conditions and adequate space for 2 to 3 scientific crew members (men and/or women).

- 2.4.6. The vessel must have one head and a functional shower available for use by the scientific crew. Doors to toilet or bathing facilities must be fitted with an operational lock or latch to ensure the user's privacy. The vessel will furnish soap, toilet paper, and paper towels.
- 2.4.7. The vessel must have sufficient fresh water capacity to accommodate reasonable shower use by a 2 to 3 person scientific crew and the vessel crew. The vessels shower must also be serviced by a hot water heater.
- 2.4.8. The vessel must have work spaces and berthing spaces that are adequately ventilated and free from excess engine noise and hydrocarbon fumes. Smoking of tobacco inside the vessel is prohibited while on charter.
- 2.4.9. The vessel must have adequate deck lighting to support early-morning or nighttime work operations. Lighting from several angles to reduce shadows is desired.
- 2.4.10. The Contractor hereby assumes full responsibility for the operation, repair, and maintenance of the boat and other equipment furnished by him/her. Contractor agrees to provide labor to repair the vessel as needed. There will be no reimbursements for gear elements that may be lost at sea (i.e., skates, buoys, anchors, etc.).
- 2.4.11. The vessel must have available 110-volt power inside the vessel that can be used for downloading the video data and charging of cameras and laptop computers.

2.5. CREW REQUIREMENTS

- 2.5.1. The Captain must have a minimum of five years of fishing experience as master of a comparable-sized vessel in Pacific coastal waters. The Captain must also have experience longlining for Pacific halibut in IPHC Regulatory Area 2A and descending and releasing rockfishes back at depth.
- 2.5.2. The crew must have experience with hand baiting longline gear.
- 2.5.3. The Captain shall be competent in the use of modern navigational and fisheries sonar equipment.
- 2.5.4. The crew shall consist of a Captain and at least two deckhands. In addition to the normal duties reserved for the deckhands, one or more of the deckhands or the Captain will also accomplish the responsibilities of engineer and cook. If desired, the crew may include an additional deckhand capable of operating the vessel to provide additional flexibility for the crew and to ensure all crew members receive adequate rest.
- 2.5.5. The deckhand undertaking the responsibilities of engineer shall have a minimum of five years of experience.

2.5.6. Captain/crew members with previous research experience are highly desired.

2.5.7. The Captain must record logbook data on all sets conducted during the research project. At conclusion of the project a copy of the logbook data must be provided to the chief scientist.

2.6. SCIENTIFIC CREW

2.6.1. One scientist will be designated the Chief Scientist. This person will be responsible for implementing the cruise plan, compliance with charter terms, and disposition of catches. The Chief Scientist 1) ensures that research is conducted according to established protocols, 2) follows good scientific practices to ensure data quality, 3) serves as the supervisor of the scientific staff, 4) ensures that the entire team adheres to safety regulations and rules of conduct, 5) has the necessary contact information for all scientific personnel, and 6) confirms all permits, emergency contact information, cruise plans, and protocols are read, understood and aboard prior to departure.

2.6.2. The scientific crew shall consist of 2 to 3 individuals and may include women.

2.6.3. The scientific crew will provide personal bedding, towels, life vests, and immersion suits.

2.7. OPERATING PROCEDURES

2.7.1 Before departure and commencement of operations, the Chief Scientist will provide a joint orientation meeting with the Captain, crew members, and scientific staff. This orientation will cover the objectives and methods for accomplishing the project goals.

2.7.2. Workday length and hours will be determined by the Chief Scientist in consultation with the Captain. The length of working days will range from 10 to 12 hours. Work schedule decisions will be based on the type of activity expected (in-port preparations, transit, sampling, etc.), prevailing weather conditions, and the provisions of the cruise plan. The Chief Scientist has the final authority except in matters relating to safety of the vessel and crew. The work day of the vessel crew will likely exceed that of the scientific crew, since they will be required to be awake and conduct a wheel/anchor watch (as required by the United States Coast Guard (USCG) Navigational Rules of the Road) at night while the vessel runs to the next station, drifts, lies at anchor, or runs to the first sampling station early in the morning. **Failure to maintain a wheel/anchor watch (as required by the United States Coast Guard [USCG] Navigational Rules of the Road) will result in a breach of contract and termination of charter work.**

2.7.3. The Chief Scientist and Captain will work together to resolve all problems, which may occur regarding the project. In the event the Chief Scientist and Captain are unable to resolve a problem which has the potential for invalidating the project or

threatens the safety or welfare of the scientific crew, the Chief Scientist will direct the vessel to return to port where an acceptable solution will be arranged between the PSMFC and the Contractor or the research cruise will be terminated. In such situations, the vessel will go off charter if required to return to port and will remain off charter until the problem has been resolved and the vessel has returned to the project area. Note: Grounds for such actions include specifically the requirement that scientific crew not be harassed, assaulted, opposed, impeded, intimidated, threatened, interfered with, or subject to unwelcome advances.

- 2.7.4. The contractor shall provide three nutritionally balanced meals each sampling day. Meal times will be coordinated between the Captain and the Chief Scientist to accommodate both the need to complete sampling and the time required by the cook to prepare meals. The vessel will provide meals for the scientific crew during all sampling days.

2.8. CONTRACTOR RESPONSIBILITIES

- 2.8.1. The Contractor will be responsible for all vessel-related gear needs (other than that supplied by PSMFC), including supplies normally needed for routine maintenance, any vessel-related gear lost or damaged during the charter, and for successfully descending and releasing rockfishes back to depth.
- 2.8.2. The Captain and crew shall exercise due caution and follow safety procedures as directed by the Chief Scientist to help prevent damage or loss of scientific gear and equipment. The Chief Scientist may present specific safety procedures in writing to the Captain. If loss of or damage to scientific equipment is the result of negligent disregard of such instructions and procedures, repair or replacement costs may be deducted from charter payments.

2.9. COVID-19 & VESSEL SAFETY PROTOCOL

- 2.9.1. COVID-19: Prior to the vessel departing from port to begin the first charter sample day, the scientific staff and vessel crew will take a COVID-19 rapid antigen test. Any scientific staff or vessel crew with a positive test will be prohibited from project participation. A vessel where all its crew members have been fully vaccinated with a COVID-19 vaccine is highly preferred.
- 2.9.2. The vessel Captain is responsible for all matters related to the safety of all crew, the vessel, and equipment operation. The Captain will adhere always to Navigational Rules of the Road whether sampling, running, drifting, or at anchor. The Captain shall review safety procedures and equipment with the scientific crew at the beginning of each cruise leg. At all times while at sea, the Captain shall post a wheel/anchor watch (as required by the USCG Navigational Rules of the Road). The Captain shall post a wheel/anchor watch at night while the vessel runs to the next station, drifts, lies at anchor, or runs to the first station early in the morning to ensure that the vessel and all crew are secure. **Failure to maintain a wheel/anchor watch**

(as required by the United States Coast Guard [USCG] Navigational Rules of the Road) will result in a breach of contract and termination of charter work.

- 2.9.3. The Contractor shall provide USCG approved survival suits for all vessel crew members. The scientific crew members will provide their own suits. Adequate dry storage for all survival suits shall be provided.
- 2.9.4. The Contractor shall provide USCG approved life jackets for all vessel crew members. The scientific crew members will provide their own life vests.
- 2.9.5. The vessel must be equipped with a USCG approved self-inflating covered life raft with capacity sufficient to accommodate all vessel crew and scientific crew members.
- 2.9.6. A Category I EPIRB (Emergency Position Indicating Radio Beacon) must be affixed to the exterior of the vessel in a manner approved by the USCG.
- 2.9.7. Before leaving the dock to commence sampling operations or when any crew change occurs, the Contractor will conduct a safety drill detailing locations of all safety equipment, description of vessel station bill, and instructions on operating appropriate safety and communications equipment. Station bills must be posted in prominent places.
- 2.9.8. No Sex, alcohol, or drugs – This rule will be stated as part of the Chief Scientist’s orientation before the common.
- 2.9.9. The vessel must have a valid USCG Safety Decal. The decal must remain valid during the entire contract period and all requirements of the decal must remain valid for the entire contract period. This includes EPIRB batteries and life raft repacking. For example, if a vessel has a valid sticker, but the EPIRB battery is expired the vessel will need to have the battery replaced before the project can begin. In such situations, the vessel will go off charter and will remain off charter until the problem has been resolved.

2.10. POST-AWARD AND POST-PROJECT MEETINGS

- 2.10.1. Upon award of contract and prior to the start of the charter, a post-award meeting or conference call will be held to discuss issues relating to the charter and project. All vessel personnel participating in the charter work are encouraged to participate in the meeting. PSMFC, upon award of the contract, will schedule the date and time for the meeting.
- 2.10.2. After completion of the project, a post-project debriefing will be held at an agreed upon location. The purpose of the debriefing is to provide the Contractor an evaluation of the performance of the vessel and crew during the charter and for the crew to voice any suggestions or concerns they may have. All vessel personnel

participating in the charter work are required to attend the meeting. PSMFC, upon completion of the project will schedule the date and time for the meeting.

2.11. EXECUTION OF CONTRACT

2.11.1. The Contractor hereby agrees to execute the project design as described, or a modification of said plan or design based upon agreement between the Contractor and PSMFC.

Section 3: INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFEROR’S

3.1. DEFINITIONS

As used in this provision –

3.1.1. “Contractor” is defined as the owner of a vessel selected to take part of the project

3.1.2. “Captain” is defined as the master or primary vessel operator who will have final say on all matters on the behalf of the vessel crew.

3.1.3. “Chief Scientist” is defined as the member of the scientific team who oversees the research operations on board the vessel.

3.1.4. “Sample day” is defined as a day when the vessel completes one or more set.

3.1.5. “Mobilization day” is defined as a day preceding scientific operations required for loading or installing of the scientific equipment.

3.1.6. “Demobilization day” is defined as a day succeeding scientific operations required for unloading or removal of the scientific equipment.

3.1.7. “Cruise Plan” is defined as the logistical methodologies employed to implement the project design.

3.2. QUESTIONS

3.2.1. Questions shall be submitted via email no later than 18 April 2022 to:

Mark Lomeli, Pacific State Marine Fisheries Commission

Email: mlomeli@psmfc.org

3.3. AMENDMENTS TO SOLICITATIONS

3.3.1. If this solicitation is amended, all terms and conditions that are not amended remain unchanged. Offeror’s shall acknowledge receipt of any amendment to this solicitation on offeror’s proposal.

3.4. SUBMISSION, MODIFICATION, REVISION, AND WITHDRAWAL OF PROPOSALS

3.4.1. Deadline for proposals is 25 April 2022.

3.4.2. Proposals must be submitted to:

Pacific States Marine Fisheries Commission

Attn: Michael Arredondo

205 SE Spokane St., Suite 100

Portland, OR 97202

Email: marredondo@psmfc.org

Phone: (503) 595-3100 / Fax: (503) 595-3444

3.4.3. Proposals and modifications to proposals must be submitted in paper media, facsimile, or email.

3.4.4. Proposals must include the completed forms found in Sections 4 and 5 of this RFP.

3.4.5. In addition to requested information (Section 4 and 5), the proposal must show:

The name of the solicitation;

The name, address, and telephone and facsimile numbers of the offeror (and email address if available);

Name, title, and signature of person authorized to sign the proposal. Proposals signed by the agent shall be accompanied by evidence of that agent's authority, unless that evidence has been previously furnished to the issuing office;

3.4.6. The PSMFC reserves the right to consult with and to consider information from its own sources, including information from state and federal agencies regarding the offeror's prior performance or the status of outstanding investigations or warrants involving the offeror.

3.4.7. Offeror's are responsible for submitting proposals, and any modification or revisions, to reach PSMFC by 4:00 p.m., local time, on 25 April 2022.

3.4.8. Late proposals

3.4.8.1. Any proposal, modification, or revision received at the PSMFC office designated in the solicitation after the exact time specified for receipt to offers is "late" and will not be considered unless it is received before award is made, the Program Manager determines that accepting the late offer would not unduly delay the acquisition; and

3.4.8.2. There is acceptable evidence to establish that it was received at the PSMFC installation designation for receipt of offers and was under the PSMFC's control prior to the time set for receipt to offers; or

3.4.8.3. It is the only proposal received.

- 3.4.8.4. However, a late modification of an otherwise successful proposal that makes its terms more favorable to the PSMFC will be considered at any time it is received and may be accepted.
- 3.4.8.5. Acceptable evidence to establish time of receipt at the PSMFC installation includes the time/date stamp of that installation on the proposal wrapper, other documentary evidence of receipt maintained by the installation, or oral testimony or statements of PSMFC personnel.
- 3.4.8.6. If an emergency or unanticipated event interrupts normal PSMFC processes so that proposals cannot be received at the office designated for receipt of proposals by the exact time specified in the solicitation, and urgent PSMFC requirements preclude amendment of the solicitation, the time specified for receipt of proposals will be deemed to be extended to the same time of day specified in the solicitation on the first work day on which normal PSMFC processes resume.
- 3.4.8.7. Proposals may be withdrawn by written notice received at any time before award. Proposals may be withdrawn via facsimile received at any time before the award, subject to the conditions specified in the provisions in Federal Acquisition Regulation (FAR) 52.215-5, Facsimile Proposals. Proposals may be withdrawn in person by an offeror or an authorized representative, if the identity of the person requesting withdrawal is established and the person signs a receipt for the proposal before award.
- 3.4.8.8. Offeror's shall submit proposals in response to this solicitation in English and in U.S. dollars.
- 3.4.8.9. Offeror's may submit modifications to their proposals at any time before the solicitation closing date and time, and may submit modifications in response to an amendment, or to correct a mistake at any time before award.
- 3.4.8.10. Offeror's may submit revised proposals only if requested or allowed by the Program Manager.

3.5. OFFER EXPIRATION DATE

- 3.5.1. Proposals in response to this solicitation will be valid for 30 days following the time specified for solicitation of offers (unless a different period is proposed by the offeror).

3.6. RESTRICTIONS ON DISCLOSURE AND USE OF INFORMATION

- 3.6.1. Offeror's that include in their proposals data that they do not want disclosed to the public for any purposes, or used by the PSMFC except for evaluation purposes, shall: mark the title page with the following legend: "This proposal includes data that shall not be disclosed outside the PSMFC and shall not be duplicated, used, or disclosed—

in whole or in part—for any purpose other than to evaluate this proposal. If, however, a contract is awarded to this offeror as a result of – or in connection with – the submission of this data, the PSMFC shall have the right to duplicate, use, or disclose the data to the extent provided in the resulting contract. This restriction does not limit the PSMFC’s right to use information contained in this data if it is obtained from another source without restriction. The data subject to this restriction are contained in sheets [insert numbers or other identification of sheets]”; and mark each sheet of data it wishes to restrict with the following legend: “Use of disclosure of data contained on this sheet is subject to the restriction on the title page of this proposal”.

3.7. CONTRACT AWARD

- 3.7.1. The PSMFC intends to award a contract or contracts resulting from this solicitation to the responsible offeror(s) whose proposal(s) represent the best value after evaluating in accordance with the factors and subfactors in the solicitation.
- 3.7.2. The PSMFC may reject any or all the proposals if such action is in the PSMFC’s interest.
- 3.7.3. The PSMFC may waive informalities and minor irregularities in proposals received.
- 3.7.4. The PSMFC intends to evaluate proposals and award a contract without discussions with offeror’s (except clarifications as described in FAR 15.306(a)). Therefore, the offeror’s initial proposal should contain the offeror’s best terms from a cost or price and technical standpoint. The PSMFC reserves the right to conduct discussions if the Program Manager later determines them to be necessary. If the Program Manager determines that the number of proposals that would otherwise be in the competitive range exceeds the number at which an efficient competition can be conducted, the Program Manager may limit the number of proposals in the competitive range to the greatest number that will permit an efficient competition among the most highly rated proposals.
- 3.7.5. The PSMFC reserves the right to make an award on any item for a quantity less than a quantity offered, at the unit cost or price offered, unless the offer specifies otherwise in the proposal.
- 3.7.6. The PSMFC reserves the right to make multiple awards if, after considering the additional administrative cost, it is in the PSMFC’s best interest to do so.
- 3.7.7. Exchanges with offeror’s after receipt of a proposal do not constitute a rejection or counteroffer by the PSMFC.
- 3.7.8. The PSMFC may determine that a proposal is unacceptable if the prices proposed are materially unbalanced between line items or subline items. Unbalanced prices exists when, despite an acceptable total evaluated price, the price of one or more contract line items is significantly overstated or understated as indicated by the

application of cost or price analysis techniques. A proposal may be rejected if the Program Manager determines that the lack of balances poses an unacceptable risk to the PSMFC.

3.7.9. If a cost realism analysis is performed, cost realism may be considered by the source selection authority in evaluating performance or schedule risk.

3.7.10. A written award or acceptance of proposal mailed or otherwise furnished to the successful offeror within the time specified in the proposal shall result in a binding contract without further action by either party.

3.7.11. The PSMFC may disclose the following information in post award debriefings to other offeror's:

3.7.11.1. The overall evaluated cost of price and technical rating of the successful offeror;

3.7.11.2. The overall ranking of all offeror's, when any ranking was developed by the agency during source selection; and

3.7.11.3. A summary of the rationale for award.

3.8. PROPOSAL EVALUATION CRITERIA

3.8.1. The following criteria and evaluation weighting will be used for evaluating both solicited and unsolicited proposals.

- Vessel characteristics (30 Points)
 - Vessel size, horsepower, available deck space and lighting
 - Vessel electronics, space and layout
 - Communication equipment
 - Number of available berths
- Charter rate/costs (25 Points)
- Captain/crew members fishing experience, particularly with longline gear (15 Points)
- Captain/crew members experience with fisheries research (15 Points)
- Other desirable characteristics (15 Points)
 - Safety equipment
 - Crewmember with formal survival and firefighting training
 - Crewmember with certified first aid and EMT

3.9. PROPOSAL SELECTION PROCEDURE

3.9.1. All proposals will be evaluated in accordance with the above evaluation criteria. There will likely be two to three reviewers for each proposal depending on the number of proposals received. Each reviewer will independently score each proposal. The reviewers will then meet and discuss the scoring criterion for each proposal as a group. The proposal that scores highest on the evaluation criteria section (3.8.1.) and that best suites the project requirements will be awarded the contract.

Section 4: SUPPLIES OR SERVICES AND PRICE/COSTS

Provide vessel, captain, crew, fuel, and all gear necessary to conduct the work described in sections 2-3 of the RFP titled “Vessel Needed for Modified Circle Hook Study in the Pacific Halibut Longline Fishery – IPHC Regulatory Area 2A”. PSMFC will reimburse the contractor for all fuel costs and any moorage fees accrued during this project (receipts must be provided for reimbursement). There will be no reimbursements for gear elements that may be lost at sea (i.e., skates, buoys, anchors, etc.). The desired timeline to completed this work is between 01 June and 30 September 2022.

	Quantity of Full Charter Days	Daily Charter Rate	Vessel Bid Amount
Sampling Days	8	\$ _____	\$ _____
Mobilization Day	1	\$2,000 *	\$ 2,000
Demobilization Day	1	\$2,000 *	\$ 2,000
Total			\$ _____

Name of Vessel: _____

Authorized signature: _____

Printed Name: _____

* = amount paid to the contractor by PSMFC for Mobilization and Demobilization days.

Section 5: ATTACHMENTS

5.1. BID PROPOSAL WORKSHEET: VESSEL CHARACTERISTICS

1. GENERAL VESSEL CHARACTERISTICS

Owner Name _____

Registration
No. _____

Vessel Name _____

Phone
(____) _____

Address _____

Registered Vessel Length (LOA) _____

Vessel Back Deck Width _____

Equipped for bottom longlining up to depths of _____ fathoms

Number of skates, and the approximate length of each skate, the vessel has available for this project:

of skates _____, approximate total length of each skate _____

Diameter of your skates: _____. Would a 5/16 snap be compatible with your skates: Y/N

Experience descending and releasing rockfishes back to depth? Yes / No

Main Engines:

Number _____ Mfg. _____ Model _____ Total HP _____

Auxiliary Engines:

Mfg. _____ Model _____ HP _____ KVA _____

Mfg. _____ Model _____ HP _____ KVA _____

Wheelhouse Electronics, Space, and Layout

Is there available electrical power supply (110 V.A.C.) in the wheelhouse? Yes / No

Is there available space within the vessel for the scientific crew to store and use their laptop computers, and charging the sampling equipment? Yes / No

Available Deck Space and lighting

Appropriate clear working deck area available _____ square feet.

Comments:_____.

Is lighting available from several angles on the deck? Yes / No

Comments: _____

Communication and Navigational Electronic Equipment

Cellular Telephone (if present on vessel)

Mfg._____ Model_____

Cellular Telephone No. (_____)_____

Satellite Telephone available: Yes / No

Plotter: GPS / LORAN

Mfg._____ Model_____

Please note any other available communication and navigational electronic equipment.

Living Quarters

Number of Berths_____

Number of functional heads with a lock or latch_____

Number of functional showers _____

Is there anything additional you would like us to know about your vessel?

5.2. CAPTAIN/CREW MEMBERS FISHING EXPERIENCE

(One sheet each for Captain and each crew member)

Name _____ Position _____

Vessel Name _____

Dates Target/Gear & Location Responsibilities Specialized Experience

5.3. SAFETY EQUIPMENT AND TRAINING

Life Raft Capacity _____

EPIRB: No. _____ Class _____

EPIRB Battery Expiration_____

USCG Certification of Inspection Expiration Date_____

Have all crew members had formal survival and firefighting training? Yes / No

Comments:_____

Have all crew members had a certified first aid and Emergency Medical Training (EMT) course?

Yes / No

Comments:_____

5.4. VESSEL AVAILABILITY

The desired timeline to completed this work between 01 June and September 2022, however, depending on vessel availability the timeline to conduct this work may be extended. Do you have any prior engagements during the desired timeline to complete this project that would potentially conflict with conducting this research (i.e. other charter work commitments, commercial fishing activities, boat yard work, vacations, etc.)?

5.5. IDEMNITY AND INSURANCE

IDEMNIFICATION

Contractor agrees to indemnify PSMFC, its officers, agents, and employees, boards and commissions, against all loss, damage, expense and liability resulting from injury to or death of person, including, but not limited to, employees of PSMFC or Contractor, or injury to property, including, but not limited to, property of PSMFC, Contractor, and third parties, arising out of or in any way connected with the performance of this contract, however caused, regardless of any negligence of PSMFC, whether active or passive, excepting only such injury or death or property damage as may be caused by the sole negligence or willful misconduct of PSMFC.

_____ Yes _____ No

INSURANCE COVERAGE

1) Minimum Coverage. Please indicate if able to present evidence to show, as a minimum, the amounts of insurance coverage indicated below:

a. Protection and Indemnity in the amount of \$1,000,000

_____ Yes
_____ No

b. Jones Act coverage for vessel crew in the amount of \$1,000,000

_____ Yes
_____ No

c. Vessel Hull and Machinery Coverage

_____ Yes
_____ No

SUBROGATION WAIVER PROVISION

Contractor agrees that in the event of loss due to any of the perils for which Contractor is required to provide or perils insured under the Maritime Employer’s Liability, and Vessel Liability or equivalent Policy coverage, Contractor shall look solely to its insurance for recovery. Contractor shall hereby grant PSMFC, its officers, agents, employees, boards, commissions, and cooperative agency participants on behalf of any insurer providing, Maritime Employer’s Liability, and Vessel Liability or equivalent Policy coverage to either Contractor or PSMFC with respects to the service of Contractor herein, a waiver of any right to subrogate which any such insurer of said Contractor may acquire against PSMFC its officers, agents, employees, boards, commissions by virtue of the payment of any loss under such insurances.

_____ Yes _____ No

- 1) Evidence of Insurance provision. Before the final execution of this contract, Contractor shall produce a standard Accord from Certificates of Insurance with Insurance Carriers acceptable to the PSMFC/NMFS, evidencing all required insurances. The Certificate shall also comply with the Subrogation Waiver Provision and forward actual endorsements from the contractor’s insurance carriers evidencing required coverage amendments.
- 2) Renewal/Cancellation. The respective Insurance Carriers and the Certificate of Insurance shall allow for a minimum of 30 days written notice of cancellation, non-renewal or reduction or required coverage’s before the expiration date thereof and the Certificate shall delete the word(s) “endeavor” and the last two lines of a standard Accord Certificate (“But failure to mail such notice shall impose no obligation or liability of any kind upon the company, its agents or representatives”). Renewal Certificates evidencing the same shall be received 10 days prior to the expiration of the coverage’s so evidenced. The Certified evidencing all requirements herein and any reduction of required coverage’s or cancellation shall be sent to **Rick Masters, PSMFC, 205 SE Spokane Street, Suite 100, Portland, OR 97202 Phone: (503) 595-3100 Fax: (503) 595-3232.**
- 3) Sufficiency of Insurance. The insurance limits or coverage’s required by PSMFC are not represented as being sufficient to fully protect the Contractor. Contractor is advised and responsible to determine his own adequate coverage sot limits.
- 4) Qualifications. Insurance companies shall be legally authorized to engage in the business of furnishing insurance in the State of the exposure.