



Steelhead status in Idaho – Update for 2018 Steelhead Workshop







Bonneville Dam total steelhead count, July 1 to October 31




Recent 5 year average run timing of hatchery steelhead at Bonneville Dam




Recent 5 year average run timing of Wild steelhead at Bonneville Dam




Total steelhead return to Lower Granite Dam




Wild steelhead return to Lower Granite Dam



**Wild “A” type GSI groups at LGR
by Spawn Year**




**Wild “B” type GSI groups at LGR
by Spawn Year**



The five most abundant hatchery steelhead stocks at Lower Granite Dam

By Spawn Year. Based on PBT analysis. Includes unclipped fish.




Harvest of Idaho bound steelhead begins in the Columbia River



Sport and Tribal fisheries



Columbia River basin steelhead GSI reporting groups




Stock composition Lower Columbia steelhead sport harvest, June 16 to October 31




The 5 largest average stock contributions
These 5 stocks averaged 44% of total harvest

Stock composition Tribal Zone 6 Fall fishery – AD-clipped steelhead




Harvest = 14,897 10,385 9,061 11,448



The 5 largest stock contributions
These stocks averaged 68% of total harvest

Stock composition Tribal Zone 6 Fall fishery – AD-unclipped steelhead

All Snake basin stocks



2014

2015

2016

Avg


Harvest = 10,564

6,186

4,488

7,079



About 17% of the harvest from unclipped hatchery fish



The 5 largest stock contributions


These stocks averaged 76% of total harvest

Stock composition Snake River sport downstream of Idaho/Washington border




The 5 largest stock contributions
These stocks averaged 89% of total harvest
Lyons Ferry discontinued, replaced with Wallowa


Statewide Idaho sport steelhead harvest by Spawn year




Steelhead sport harvest by Calendar year



Statewide Chinook and Steelhead sport harvest in Idaho



Statewide sport fishing effort (days fished) for Chinook and Steelhead



MGILCS Reporting Groups

- Deschutes (DESCH)
- John Day (JDAY)
- Umatilla (UMAT)
- Lower Snake (LOWSNAKE)
- Imnaha (IMNA)
- Lower Clearwater (LOWCLWR)
- Lower Salmon (LOWSALM)

Basin Reporting Groups

- 1. Quinault (WCOAST)
- 2. Lower Columbia (LOWCOL)
- 3. Skamania (SKAMAN)
- 4. Willamette (WILLAM)
- 5. Big White Salmon (BWSALM)
- 6. Klickitat (KLICKR)
- 8. Yakima (YAKIMA)
- 9. Upper Columbia (UPPCOL)
- 10. SF Clearwater (SFCLWR)
- 11. Upper Clearwater (UPCLWR)
- 12. MF Salmon (MFSALM)
- 13. SF Salmon (SFSALM)
- 14. Upper Salmon (UPSALM)

